



Search for flavour-changing neutral-current couplings between the top quark and the photon with the ATLAS detector at $\sqrt{s} = 13$ TeV

The ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 6 May 2022

Received in revised form 19 July 2022

Accepted 9 August 2022

Available online 18 August 2022

Editor: M. Doser

Dataset link: <https://hepdata.cedar.ac.uk>

ABSTRACT

This letter documents a search for flavour-changing neutral currents (FCNCs), which are strongly suppressed in the Standard Model, in events with a photon and a top quark with the ATLAS detector. The analysis uses data collected in pp collisions at $\sqrt{s} = 13$ TeV during Run 2 of the LHC, corresponding to an integrated luminosity of 139 fb^{-1} . Both FCNC top-quark production and decay are considered. The final state consists of a charged lepton, missing transverse momentum, a b -tagged jet, one high-momentum photon and possibly additional jets. A multiclass deep neural network is used to classify events either as signal in one of the two categories, FCNC production or decay, or as background. No significant excess of events over the background prediction is observed and 95% CL upper limits are placed on the strength of left- and right-handed FCNC interactions. The 95% CL bounds on the branching fractions for the FCNC top-quark decays, estimated (expected) from both top-quark production and decay, are $\mathcal{B}(t \rightarrow u\gamma) < 0.85 (0.88_{-0.25}^{+0.37}) \times 10^{-5}$ and $\mathcal{B}(t \rightarrow c\gamma) < 4.2 (3.40_{-0.95}^{+1.35}) \times 10^{-5}$ for a left-handed $tq\gamma$ coupling, and $\mathcal{B}(t \rightarrow u\gamma) < 1.2 (1.20_{-0.33}^{+0.50}) \times 10^{-5}$ and $\mathcal{B}(t \rightarrow c\gamma) < 4.5 (3.70_{-1.03}^{+1.47}) \times 10^{-5}$ for a right-handed coupling.

© 2022 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Flavour-changing neutral currents (FCNCs) are forbidden at tree level in the Standard Model (SM) and strongly suppressed at higher orders via the GIM mechanism [1], but several extensions to the SM include additional sources of FCNCs. In particular, some of these models predict the branching fractions (BRs) of top-quark decays via FCNCs to be orders of magnitude larger [2] than those predicted by the SM, which are of the order of 10^{-14} [2]. Examples are R-parity-violating supersymmetric models [3–6] and models with two Higgs doublets [7,8], which allow FCNC processes involving top quarks to have measurable rates.

This letter presents a search for FCNCs in processes with a top quark (t) and a photon (γ) based on the full dataset of $\sqrt{s} = 13$ TeV proton–proton collisions collected by the ATLAS experiment [9] during Run 2 of the LHC. The analysis is optimised to search for the production of a single top quark in association with a photon as well as to search for the decay of a top quark into an up (u) or charm (c) quark in association with a photon in the case of pair-produced top quarks ($t\bar{t}$). Tree-level Feynman diagrams for these processes are shown in Fig. 1, where in both cases, exactly one top quark decays via the SM-favoured tWb coupling.

FCNC contributions to the production ($q \rightarrow t\gamma$, $q = u, c$, Fig. 1 left), and decay ($t \rightarrow q\gamma$, Fig. 1 right), modes can be parameterised in terms of effective coupling parameters [10,11]. Following the notation of Refs. [12,13], the relevant dimension-six operators are $O_{\text{UB}}^{(ij)}$ and $O_{\text{UW}}^{(ij)}$, where $i \neq j$ are indices for the quark generation. In general, left-handed (LH) and right-handed (RH) couplings could exist, resulting in different helicities for the top quark in the production mode, which leads to different kinematic properties for the final-state particles from the weak decay of the top quark.

The CMS Collaboration has searched for the production mode using data taken at $\sqrt{s} = 8$ TeV [14]. The ATLAS Collaboration also performed an analysis that was optimised for the production mode using 81 fb^{-1} of data at $\sqrt{s} = 13$ TeV [15], resulting in the strongest upper limits to date. The limits on the LH (RH) effective coupling parameters were translated into BR upper limits of 2.8×10^{-5} (6.1×10^{-5}) for $t \rightarrow u\gamma$ and 22×10^{-5} (18×10^{-5}) for $t \rightarrow c\gamma$. The search presented in this letter supersedes the one in Ref. [15], uses the full 139 fb^{-1} Run 2 dataset at $\sqrt{s} = 13$ TeV and is optimised for both the decay and production modes by training a neural-network (NN) classifier to separate the signal in decay and production modes from the SM background.

2. The ATLAS detector

ATLAS [9,16,17] is a multipurpose particle detector designed with a forward–backward symmetric cylindrical geometry and

* E-mail address: atlas.publications@cern.ch.




Fig. 1. Tree-level Feynman diagrams for top-quark production (left) and decay (right) via FCNCs. The $tq\gamma$ vertex, which is not present in the SM, is highlighted.

nearly full 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The ID covers the pseudorapidity range $|\eta| < 2.5$ and is composed of silicon pixel, silicon microstrip, and transition radiation tracking (TRT) detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. Hadronic calorimetry is provided by the steel/scintillator-tile calorimeter covering the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is based on three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. The MS includes a system of precision tracking chambers and fast detectors for triggering. A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to keep the accepted event rate below 100 kHz [18]. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average. An extensive software suite [19] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3. Analysis strategy

A signal region (SR) is defined by selecting events that contain one high-momentum photon and the decay products of a semileptonically decaying top quark, i.e. an electron or muon, a b -tagged jet and missing transverse momentum. Additional jets may be present in the final state, as one such jet is expected at leading order for signal in the decay mode and additional jets may result from initial- or final-state radiation in both signal modes. The main backgrounds stem from events with prompt photons (mostly $t\bar{t}\gamma$ events in the lepton+jets channel and $W\gamma$ +jets events), from events with an electron that is misidentified as a photon (referred to as $e \rightarrow \gamma$ fakes, mostly in dileptonic $t\bar{t}$ events), and from events with hadrons that are misidentified as photons (referred to as $h \rightarrow \gamma$ fakes, mostly in semileptonic $t\bar{t}$ events). Backgrounds with prompt photons are modelled by Monte Carlo (MC) simulations, and control regions (CRs) are defined for the $t\bar{t}\gamma$ and the $W\gamma$ +jets processes. The $t\bar{t}\gamma$ CR is based on the presence of additional jets, especially an additional b -tagged jet. The $W\gamma$ +jets

CR is constructed by requiring that the b -tagged jet fulfils only a looser b -tagging requirement and not the tight b -tagging requirement that is used in the SR. The contributions from $e \rightarrow \gamma$ and $h \rightarrow \gamma$ fakes are modelled by MC simulations but are corrected with data-driven scale factors (SFs). In the SR, signal and background events are distinguished using a NN with three output nodes, one for each signal mode and one for the SM background. The three nodes are combined into a one-dimensional discriminant to separate the total signal from the background. The signal contribution is then estimated with a binned profile likelihood fit to this discriminant, with systematic uncertainties modelled as nuisance parameters. Separate NNs are trained for the $tu\gamma$ and $tc\gamma$ couplings because the signal processes differ in their kinematic properties, due to differences between the up- and charm-quark parton distribution functions (PDFs), and also in their b -tagging probabilities. The different b -tagging properties stem from the jets initiated by the c -quark from the FCNC top-quark decay in the case of the $tc\gamma$ coupling.

4. Data and simulation

The proton–proton (pp) collision data analysed for this search were recorded with the ATLAS detector from 2015 to 2018 at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. Events were selected using single-lepton triggers [18,20,21] and are required to have at least one reconstructed primary vertex that has at least three associated tracks with transverse momenta greater than 500 MeV. After the application of data-quality requirements [22], the data sample corresponds to an integrated luminosity of 139 fb^{-1} , as determined by using the LUCID-2 detector [23] for the primary luminosity measurements.

Monte Carlo simulated events samples are used in the analysis to optimise the event selection, to train the NN and to predict contributions from various SM processes. The effect of multiple interactions in the same and neighbouring bunch crossings (pile-up) was modelled by overlaying the simulated hard-scattering event with inelastic pp events generated by PYTHIA8.186 [24] using the NNPDF2.3LO set of PDFs [25] and parameter values set according to the A3 tune [26]. After the event generation, the ATLAS detector response was simulated [27] by using the GEANT4 toolkit [28] with either the full simulation of the ATLAS detector or the fast-simulation package [29]. In all processes, the top-quark mass was set to 172.5 GeV. For all samples of simulated events, except those generated using SHERPA, the decays of bottom and charm hadrons were performed by EVTGEN [30].

The signal in the production mode ($pp \rightarrow t\gamma \rightarrow b\bar{\ell}\nu\gamma$) and in the decay mode ($pp \rightarrow t\bar{t} \rightarrow b\bar{\ell}\nu\bar{q}\gamma$) was simulated with the MADGRAPH5_AMC@NLO2.4.3 generator [31] with the UFO model TopFCNC [11,32] at next-to-leading order (NLO) in QCD, using the NNPDF3.0NLO PDF set [33]. The scale of new physics was set to $\Lambda = 1$ TeV. The charged leptons, ℓ , include electrons, muons and tau leptons. Interference effects between the production and decay FCNC processes can be neglected [34]. For SM decays of the

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

top quark, the spin correlation was preserved using MADSPIN [35]. The parton showering and hadronisation were simulated using PYTHIA 8.212 [36] with the A14 tune [37] and the NNPDF2.3LO PDF set. In the production mode, four samples were generated with different couplings set to non-zero values: $t\gamma$ LH, $t\gamma$ RH, $tc\gamma$ LH, and $tc\gamma$ RH. In the decay mode, only samples with $t\gamma$ LH coupling and $tc\gamma$ LH coupling have been simulated since the kinematic properties of the LH and RH couplings were found to be very similar. Correspondingly, only the LH coupling for the $tc\gamma$ coupling in the decay is considered. The production and decay processes contribute similarly for the $t\gamma$ coupling, while for the $tc\gamma$ coupling the decay is the dominant process. For given values of the Wilson coefficients, the cross-section for the production process is calculated with MADGRAPH5_AMC@NLO at NLO using the TopFCNC model. Then, for given values of the Wilson coefficients, the $tq\gamma$ BR is calculated by the LO relation between the BR and the Wilson coefficients as given in Ref. [11]. The following effective cross-sections, calculated as total cross-section times branching fractions assuming $\mathcal{B}(t \rightarrow q\gamma)$ of 10^{-3} , are used for the production processes: 417 fb for the $t\gamma$ LH coupling, 416 fb for the $t\gamma$ RH coupling, 59.5 fb for both the $tc\gamma$ LH coupling and the $tc\gamma$ RH coupling. For the decay processes, the effective cross-section is 542 fb for both $t\gamma$ and $tc\gamma$ couplings.

Two dedicated MC samples are used to model $t\bar{t}\gamma$ events. In the first sample, photon radiation in $t\bar{t}$ production was generated at NLO precision in QCD. In the second sample, photons in the decay were generated at LO precision in QCD while removing the overlap with the former sample. Events in both samples were modelled using the MADGRAPH5_AMC@NLO 2.7.3 [38] generator with the NNPDF2.3LO PDF set. The events were interfaced with PYTHIA 8.240 [36], which used the A14 tune and the NNPDF2.3LO PDF set. To combine the two samples, a K -factor is applied to scale the predicted cross-section of the decay sample, while no K -factor is applied to the production sample. The nominal value of the K -factor for the decay sample is chosen so that the inclusive cross-section agrees with the theoretical cross-section calculation at NLO in QCD in Ref. [39], resulting in a K -factor of 1.67 for the decay sample.

The production of $t\bar{t}$ events was modelled using the POWHEG Box v2 [40–43] generator at NLO with the NNPDF3.0NLO PDF set and the h_{damp} parameter² set to 1.5 times the top-quark mass [44]. The events were interfaced to PYTHIA 8.230 [36] to model the parton shower, hadronisation, and underlying event, with parameters set according to the A14 tune and using the NNPDF2.3LO set of PDFs. The $t\bar{t}$ sample is normalised to the cross-section prediction at next-to-next-to-leading order (NNLO) in QCD including the resummation of next-to-next-to-leading logarithmic (NNLL) soft-gluon terms calculated using Top++ 2.0 [45–51].

Simulated events for the SM $tq\gamma$ process, with photon radiation in the production of the top quark, were generated at NLO in the four-flavour scheme using the MADGRAPH5_AMC@NLO 2.6.2 event generator interfaced with PYTHIA 8.240 for parton showering. Contributions with photon radiation from top-quark decay products were modelled by using the SM single-top-quark t -channel sample described below. The top quark was decayed using MADSPIN.

The single-top-quark samples are split into three processes: s -channel, t -channel and tW -channel. These samples were modelled using the POWHEG Box v2 [52] generator at NLO in QCD using the four-flavour (five-flavour) scheme for the t -channel (s -channel and tW -channel) and the corresponding NNPDF3.0NLO set of PDFs. In

the case of the tW -channel, the diagram removal scheme [53] was used. To avoid an overlap with the SM $tq\gamma$ sample, t -channel events with a prompt photon were only selected when the photon is radiated from the top-quark decay products. The events were interfaced with PYTHIA 8.230, which used the A14 tune and the NNPDF2.3LO set of PDFs.

The production of $V\gamma$ +jets ($V = W, Z$) final states was simulated with the SHERPA 2.2.8 [54] generator. Matrix elements (MEs) at NLO QCD accuracy for up to one additional parton and at LO accuracy for up to three additional parton emissions were matched and merged with the SHERPA parton shower based on Catani–Seymour dipole factorisation [55,56] using the MEPS@NLO prescription [57–60]. The virtual QCD corrections for MEs at NLO accuracy were provided by the OPENLOOPS library [61–64]. Samples were generated using the NNPDF3.0NLO set of PDFs, along with the dedicated set of tuned parton-shower parameters developed by the SHERPA authors.

The production of V +jets events was simulated with the SHERPA 2.2.1 [54] generator using NLO MEs for up to two partons, and LO MEs for up to four partons, calculated with the Comix [55] and OPENLOOPS libraries. The MEPS@NLO prescription was used to match the MEs with the SHERPA parton shower, which used the set of tuned parameters developed by the SHERPA authors. The NNPDF3.0NLO set of PDFs was used and the samples are normalised to a NNLO prediction [65].

Samples of diboson final states (VV) were simulated with the SHERPA 2.2.1 or 2.2.2 [54] generator depending on the process, including off-shell effects and Higgs boson contributions where appropriate. Fully leptonic final states and semileptonic final states, where one boson decays leptonically and the other hadronically, were generated using MEs at NLO accuracy in QCD for up to one additional parton and at LO accuracy for up to three additional parton emissions. The NNPDF3.0NLO set of PDFs was used, along with the dedicated set of tuned parton-shower parameters developed by the SHERPA authors.

An overlap removal scheme was applied to remove double-counting of events stemming from photon radiation in samples in which a photon was not explicitly required in the final state, similarly to Ref. [66]. This procedure was applied to the $t\bar{t}$, W +jets, Z +jets and single-top t -channel samples, to avoid overlaps with the $t\bar{t}\gamma$, $W\gamma$ +jets, $Z\gamma$ +jets and SM $tq\gamma$ samples, respectively.

5. Object and event selection

Electron candidates are reconstructed from clusters of energy deposits in the electromagnetic calorimeter matched to charged-particle tracks in the ID. The candidates must satisfy the *TightLH* likelihood-based identification criteria [67,68] with $p_T > 27$ GeV and $|\eta| < 2.47$, with the region $1.37 < |\eta| < 1.52$ excluded. Additionally, electron candidates must meet two impact-parameter selection criteria: $|z_0 \sin \theta| < 0.5$ mm, where z_0 is the z coordinate of the transverse impact point, and $|d_0/\sigma(d_0)| < 5$ for the transverse impact-parameter significance. Muon candidates are reconstructed from tracks in the MS matched to tracks in the ID. The candidates are required to meet *Medium* identification criteria [69] with $p_T > 27$ GeV and $|\eta| < 2.5$. Additionally, muon candidates must satisfy $|z_0 \sin \theta| < 0.5$ mm and $|d_0/\sigma(d_0)| < 3$. Isolated electrons and muons are selected by requiring both the amount of energy deposited nearby in the calorimeters and the scalar sum of the transverse momenta of nearby tracks in the ID to be small.

Photon candidates are reconstructed from clusters of energy deposits in the electromagnetic calorimeter that have either no matched ID track or one or two matched ID tracks which are compatible with electron or positron tracks from a photon conversion [68]. Based on the number of ID tracks matched to the electromagnetic cluster, photons are separated into different cat-

² The h_{damp} parameter is a resummation damping factor and one of the parameters that controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high- p_T radiation against which the $t\bar{t}$ system recoils.




Fig. 2. Expected background composition of the SR (left), $W\gamma$ +jets CR (middle) and $t\bar{t}\gamma$ CR (right).

egories. If one or two tracks are matched, the photon is labelled as converted; if zero tracks are matched, the photon is labelled as unconverted. Photon candidates are required to have $p_T > 20 \text{ GeV}$ and be within $|\eta| < 2.37$, with the region at $1.37 < |\eta| < 1.52$ excluded. The candidates are required to meet the *Tight* identification criteria [67,68]. Photons must be isolated from nearby energy deposits in the calorimeter and from nearby tracks in the ID. The sum of the energy deposited (p_T of the tracks) within $\Delta R = 0.4$ ($\Delta R = 0.2$) of the photon direction is required to be smaller than $0.022 \times p_T^\gamma + 2.45 \text{ GeV}$ ($0.05 \times p_T^\gamma$), excluding the photon energy deposition (tracks associated with the photon) [68].

Jet candidates are reconstructed from particle-flow objects [70], using the anti- k_r [71] jet algorithm with radius parameter $R = 0.4$ implemented in FastJet [72]. Jets are calibrated by applying a jet energy scale derived from 13 TeV data and simulation [73]. After the calibration, jet candidates are required to have $p_T > 25 \text{ GeV}$ and $|\eta| < 2.5$. To suppress jets originating from pile-up collisions, a cut on the jet-vertex tagger (JVT) [74] discriminant as defined in the *JVT**Tight* working point (WP) is applied for jets with p_T below 120 GeV. Jets containing b -hadrons are identified (b -tagged) using a deep neural network. This neural network, DL1r [75,76], combines inputs from the impact parameters of tracks and the displaced vertices reconstructed in the ID. The inputs of the DL1r neural network also include discriminating variables constructed by a recurrent neural network, which exploits the spatial and kinematic correlations between tracks originating from the same b -hadron. The outputs of the neural network represent the probabilities of the jet to originate from a light-flavour quark or gluon, a c -quark and a b -quark, which are then combined into a single discriminant.

The missing transverse momentum vector \vec{p}_T^{miss} , with magnitude E_T^{miss} , is defined as the negative sum of the transverse momenta of the reconstructed and calibrated physical objects and a soft term built from all tracks that are associated with the primary vertex but not with these objects [77].

To avoid double-counting of detector signatures, objects are removed in the following order³: electrons sharing a track with a muon; jets within $\Delta R = 0.2$ of an electron; electrons within $\Delta R = 0.4$ of a jet; jets within $\Delta R = 0.4$ of a muon if they have at most two associated tracks; muons within $\Delta R = 0.4$ of a jet; photons within $\Delta R = 0.4$ of an electron or muon; jets within $\Delta R = 0.4$ of a photon.

SFs are used to correct the efficiencies in simulation in order to match the efficiencies measured in data for the electron [68,78–80] and muon [80] trigger, reconstruction, identification, and isolation

Table 1

Summary of the analysis region definitions. While the requirements on photons, leptons and E_T^{miss} are shared, the regions differ in their jet and b -tagged jet requirements. The latter ensure orthogonality. All jets that pass the 60% b -tagging WP automatically pass the looser b -tagging WPs. A hyphen indicates that no criterion has to be fulfilled.

Object	SR	CR $t\bar{t}\gamma$	CR $W\gamma$ +jets
Photon ($p_T > 20 \text{ GeV}$)		= 1	
Lepton ($p_T > 27 \text{ GeV}$)		= 1	
E_T^{miss}		> 30 GeV	
Jets ($p_T > 25 \text{ GeV}$)	≥ 1	≥ 4	≥ 1
b -tagged jets (60% WP)	= 1	-	= 0
b -tagged jets (70% WP)	= 1	≥ 1	= 0
b -tagged jets (77% WP)	= 1	≥ 2	= 1
$m(e, \gamma)$	-	-	$\notin [80, 100] \text{ GeV}$

criteria, as well as for the photon identification [68] and isolation requirements. SFs are also applied for the JVT requirement [81] and for the b -tagging efficiencies for jets that originate from the hadronisation of b -quarks [75], c -quarks [82], and u -, d -, s -quarks or gluons [83].

The selected events have exactly one electron or muon, exactly one photon, at least one jet and $E_T^{\text{miss}} > 30 \text{ GeV}$. The lepton must be matched, with $\Delta R < 0.15$, to the lepton reconstructed by the trigger. Events meeting these criteria are further separated into three orthogonal regions: the SR, the $t\bar{t}\gamma$ CR and the $W\gamma$ +jets CR. In the SR, exactly one b -tagged jet identified with the 60% efficiency WP is required while vetoing events with additional jets that pass the 77% WP, to ensure orthogonality to the CRs. Events in the $t\bar{t}\gamma$ CR are required to have at least four jets with at least two b -tagged jets identified at the 77% WP, and at least one of these must also be b -tagged at the 70% WP. In order to select a $W\gamma$ +jets event sample with jets originating from light-flavour and heavy-flavour quarks in proportions similar to those in events satisfying the SR criteria, events in the $W\gamma$ +jets CR are required to have exactly one b -tagged jet identified at the 77% WP, with no jet passing the 70% WP. Additionally, events with an electron-photon pair invariant mass of 80–100 GeV are excluded from the $W\gamma$ +jets CR to suppress Z +jets events with $e \rightarrow \gamma$ fakes. Table 1 summarises the selection criteria for the individual analysis regions. The selection efficiency of the signal events in the SR is about 8% for the FCNC production mode and about 6.5% for the FCNC decay mode for the $tu\gamma$ LH coupling. The composition of the SM backgrounds after the selection is presented in Fig. 2. Around 60% (35%) of the jets in the signal region originate from the hadronisation of b -quarks (c -quarks), while around 10% (75%) of the jets in the $W\gamma$ +jets CR originate from the hadronisation of b -quarks (c -quarks). The residual differences between the kinematics of jets originating from the

³ For the overlap removal, ΔR is defined as $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$, where y is the rapidity of the object.

hadronisation of b - and c -quarks were found to be negligible. Setting the FCNC couplings to the 95% CL limits measured in Ref. [15], the signal contamination in the CRs is less than 0.3% (1%) for the $t\bar{t}\gamma$ CR ($W\gamma$ +jets CR).

6. Data-driven estimate of misidentified photons

6.1. Electrons misidentified as photons

Electrons can be misidentified as photons, for example, if the electron track is not reconstructed or if the track is not matched to the energy clusters in the electromagnetic calorimeter. These misidentified photons are referred to in the following as $e \rightarrow \gamma$ fakes. The probability for an electron to be misidentified as a photon, $f_{e \rightarrow \gamma}$, is measured from data and simulation following the methodology used previously [15,84]. The ratio of the probabilities measured in data and simulation is then applied to correct the simulation.

Two regions are defined in order to measure $f_{e \rightarrow \gamma}$. The $Z \rightarrow e\gamma$ region is defined by requiring exactly one electron and one photon with an electron–photon invariant mass in the range 70–110 GeV. The $Z \rightarrow ee$ region is defined by requiring exactly two electrons with opposite electric charge, no photons, and a dielectron invariant mass in the range 70–110 GeV. Both regions are required to have $E_T^{\text{miss}} < 30$ GeV, and a veto on the presence of b -tagged jets is applied. In both regions, electrons and muons need to fulfil the same criteria as described in Chapter 5. Templates from MC simulation for the invariant mass of the dielectron (electron–photon) pair are estimated from a binned-likelihood fit in the $Z \rightarrow ee$ ($Z \rightarrow e\gamma$) region. The templates also include the SM backgrounds originating from $W\gamma$ +jets and $Z\gamma$ +jets events. For the $Z \rightarrow e\gamma$ region, third-order Bernstein polynomials are used to create templates for the remaining SM backgrounds. The ratio of the integrals of the aforementioned fitted signal templates is calculated in order to estimate $2f_{e \rightarrow \gamma}$, where the factor of two accounts for the two electrons in $Z \rightarrow ee$ events that may be misidentified as a photon. The $f_{e \rightarrow \gamma}$ probabilities are measured independently in six bins in photon $|\eta|$ and separately for the different reconstruction types for converted photons, defined by the number of hits in the silicon detectors and in the TRT. The measured $f_{e \rightarrow \gamma}$ probabilities range from about 3% for the central photons up to 12% for the forward photons, with an inclusive probability of about 5%.

The following systematic uncertainties in the estimated $f_{e \rightarrow \gamma}$ probabilities are assessed: removing the third-order Bernstein polynomial functions used to describe the background contributions from the fits, removing the MC templates for $W\gamma$ +jets and $Z\gamma$ +jets from the fits, varying the fit range from 70–110 GeV to 80–100 GeV, increasing and decreasing the photon energy by 1%, and considering modelling uncertainties of the Z +jets events, as the Z +jets process is the only process that contributes significantly. SFs are defined by the ratios of the measured and simulated values of $f_{e \rightarrow \gamma}$, and range from about 0.8 for the forward photons to 2.5 for the central photons for one of the reconstruction types for the converted photons. The total uncertainties differ between the η bins and the reconstruction types and vary from about 1.5% to about 30%, dominated by systematic uncertainties arising from the removal of the Bernstein polynomials and from the Z +jets modelling uncertainties in most bins. The validity of the measured $f_{e \rightarrow \gamma}$ SFs was cross-checked using a selection similar to the $Z \rightarrow e\gamma$ region but requiring at least one b -tagged jet to be present. Good agreement between the corrected prediction and the data was observed. The main processes contributing to the analysis regions via $e \rightarrow \gamma$ fakes are $t\bar{t}$ with about 65% and Z +jets with about 25%.

6.2. Hadrons misidentified as photons

A jet can be misreconstructed as a photon, e.g. when a hadron inside the jet decays into two photons that are reconstructed as a single one. The number of events with misidentified hadrons is estimated from data. SFs, defined as the ratio of the numbers of misidentified hadrons in data and in simulation, are applied to the simulation to correct the normalisation of the events with misidentified hadrons. The shapes of the distributions for these processes are estimated from the MC simulation with their uncertainties.

Three hadron fake regions (HFR) are defined by the same criteria as the SR but with modified photon identification and isolation requirements following the same prescription as in Ref. [15]. Assuming no correlation between the identification and isolation variables used to define the hadron fake regions, the contribution of this background in the SR can be estimated using the ABCD method (see e.g. Ref. [85]) as

$$N(\text{SR}_{h \rightarrow \gamma}^{\text{pass\&pass, data}}) = \frac{N(\text{HFR}^{\text{pass\&fail, data}}) \cdot N(\text{HFR}^{\text{fail\&pass, data}})}{N(\text{HFR}^{\text{fail\&fail, data}})},$$

where $N(\text{HFR}^{\text{pass\&fail, data}})$ represents the number of $h \rightarrow \gamma$ events estimated from data after subtracting contributions from other sources in the HFR where events pass the identification requirements and fail the isolation requirements, as defined in Ref. [15], and $N(\text{HFR}^{\text{fail\&pass, data}})$ and $N(\text{HFR}^{\text{fail\&fail, data}})$ are defined analogously. Since the identification and isolation variables are not fully uncorrelated, the estimate is corrected for the non-zero correlation as estimated from MC simulations. The correction factor for the correlations ranges from about 0.9 to about 1.15 depending on the photon p_T and η bin. The data-driven SFs are then calculated as $\text{SF}(h \rightarrow \gamma) = N(\text{SR}_{h \rightarrow \gamma}^{\text{pass\&pass, data, corr}}) / N(\text{SR}_{h \rightarrow \gamma}^{\text{pass\&pass, MC, corr}})$, where $N(\text{SR}_{h \rightarrow \gamma}^{\text{pass\&pass, MC, corr}})$ represents the number of events the MC simulation predicts in the SR after the correction for the non-zero correlations of the identification and isolation variables. The SFs are estimated independently in six photon $|\eta|$ bins and two photon p_T bins, and separately for converted and unconverted photons.

The following sources of systematic uncertainty are considered for the estimation of the SFs: the finite number of events in the data and MC simulated samples, variations of the $e \rightarrow \gamma$ SFs used to subtract the $e \rightarrow \gamma$ background in the different regions by one standard deviation, variations of the correlation between identification and isolation variables, estimated as the maximum correlation seen in the simulation across all p_T and η bins, and variations in the prompt-photon subtraction in the non-tight regions by considering normalisation uncertainties for the individual processes and modelling uncertainties of the $t\bar{t}$ and $t\bar{t}\gamma$ processes.

The measured data-driven SFs range from about 0.6 for high- p_T central unconverted photons to up to 2.2 for high- p_T forward unconverted photons. The total uncertainties in the SFs vary between about 45% to 65%, where in most of the bins the dominant uncertainty arises from the assumptions about the correlation of the photon identification and isolation variables. The main processes contributing to the analysis regions via $h \rightarrow \gamma$ fakes are $t\bar{t}$ with about 80% and single top with about 10%.

7. Neural network for discrimination between signal and background

The signal is distinguished from the sum of the background processes by a fully connected feed-forward NN with backpropagation, implemented in KERAS [86] with the TENSORFLOW [87] back end. Separate NNs are trained for FCNC processes with a $tu\gamma$ or a $tc\gamma$ vertex, reflecting the differences stemming mainly from the

different PDFs involved in the production mode. Differences between the LH and RH couplings were found to mostly impact the acceptance of the event selection. The following acceptances were found for the FCNC production modes: 8.2% for the $t\gamma$ LH coupling, 6.7% for the $t\gamma$ RH coupling, 9.3% for the $tc\gamma$ LH coupling and 7.5% for the $tc\gamma$ RH coupling. For the decay modes, the acceptances are 6.6% for the $t\gamma$ coupling and 5.8% for the $tc\gamma$ coupling. However, no significant impact on the discrimination power of the network was found originating from the difference of the LH and RH couplings. Thus, the LH and RH couplings are not separated in the network.

An optimised set of 37 variables is used as the input to the NN: these were selected by removing the input variables with negligible impact on the separation power of the final discriminant. The input variables include the p_T and η of the charged leptons, photons, b -tagged jets and the two leading non- b -tagged jets, E_T^{miss} and the photon conversion status. High-level variables, such as invariant masses and angular distances between the objects, jet multiplicities and the b -tagging information, are also included. All variables are transformed using SCIKIT-LEARN's [88] StandardScaler.

The NN consists of six hidden layers with 512, 256, 128, 64, 32, 16 nodes, respectively. The network architecture was optimised, using the expected limit without considering systematic uncertainties, to provide the best separation of the simulated FCNC signals and SM background. The output of the NN consists of three nodes representing the three classes: the FCNC production signal, the FCNC decay signal and the SM background. The softmax function, $f_i(x) = \exp(x_i) / \sum_{j=1}^3 \exp(x_j)$, in three dimensions for the i -th class is used for the activation of the output nodes. Consequently, the target vector of the NN in the training is $(1, 0, 0)^T$ for FCNC production mode events, $(0, 1, 0)^T$ for the decay mode, and $(0, 0, 1)^T$ for all background processes. The NN is trained with the ADAM optimiser [89]. The output of the multiclass discriminator is illustrated in Fig. 3, showing good separation between the three output classes. The strongest separation is achieved between the FCNC production class and the SM background class.

From the three-dimensional NN output, a one-dimensional discriminant, \mathcal{D} , is formed using

$$\mathcal{D} = \ln \frac{a \cdot y_{\text{prod}} + (1 - a) \cdot y_{\text{dec}}}{y_{\text{bkg}}},$$

where $y_{\text{prod(dec)}}$ represents the NN output for the FCNC production (decay) class and y_{bkg} represents the NN output for the SM background class. The discriminant \mathcal{D} is inspired by the log-likelihood ratio, with an optimisable parameter $a \in (0, 1)$ that changes the relative contribution of the NN outputs for the signal modes to the discriminant. The discriminant is in the range $(-\infty, +\infty)$. The optimal value of the parameter a was found to be 0.3 for the $t\gamma$ NN, and 0.2 for the $tc\gamma$ NN, reflecting the smaller contribution of the production mode in the case of charm-quark-initiated FCNC $t\gamma$ production. The multiclass NN was found to outperform a simpler binary NN that discriminates only between the FCNC signal and the SM background. The expected upper limit on the signal was found to be up to 30% lower in the case of the multiclass neural network.

8. Systematic uncertainties

Systematic effects may change the expected numbers of events from the signal and background processes and the shape of the fitted discriminants in the SR and the CRs. These effects are evaluated by varying each source of systematic uncertainty by $\pm 1\sigma$ and considering the resulting deviation from the nominal expectation as the uncertainty.

Uncertainties due to the theoretical cross-sections are evaluated by varying the cross-section by $\pm 5.6\%$ for $t\bar{t}$ production [25,




Fig. 3. The classifier output of the multiclass NN for the $t\gamma$ LH coupling. The output of the FCNC production mode class is shown in blue (top), the output of the FCNC decay mode class is shown in red (middle) and the output of the SM background class is shown in green (bottom). For each output class, the distribution of the three processes is shown: FCNC production mode with the dashed line, FCNC decay mode with the dotted line and SM background with the solid line. The vertical axis represents the fraction of events predicted by the simulation.

51,90–92], by ${}^{+4.0\%}_{-3.4\%}$ (${}^{+5.0\%}_{-4.5\%}$)% for t -channel single-(anti-)top production [93], by ${}^{+3.6\%}_{-3.1\%}$ (${}^{+4.8\%}_{-4.3\%}$)% for s -channel single-(anti-)top production [94], by $\pm 5.3\%$ for tW production [95], by $\pm 5\%$ for W +jets and Z +jets production [96], by $\pm 30\%$ for $Z\gamma$ +jets production, by $\pm 50\%$ for the SM $tq\gamma$ process, and by $\pm 6\%$ for diboson production [97]. No cross-section uncertainty is considered for $t\bar{t}\gamma$ and $W\gamma$ +jets production, because their normalisations are determined in the fit.

Uncertainties due to the modelling of the signal are estimated by considering independent variations of the renormalisation and factorisation scales by factors of 2 and 0.5, but normalising the signal to the nominal cross-section. Additionally, an uncertainty due to the choice of parton shower generator is estimated by considering the change when using an alternative MC sample that uses the HERWIG 7.2.1 [98,99] prediction with the H7UE set of tuned parameters [99] and the MMHT2014Lo PDF set [100] instead of the PYTHIA 8.212 generator. Uncertainties due to the PDFs are estimated by using the NNPDF set of replicas.

For the background processes, uncertainties due to the renormalisation and factorisation scales and from the PDFs are estimated separately for each process, following the same procedure as for the signal. An additional uncertainty due to the chosen h_{damp} parameter value for the $t\bar{t}$ process is estimated by doubling it to three times the top-quark mass. For the $t\bar{t}\gamma$, $t\bar{t}$ and single-top processes, an uncertainty is estimated from an independent variation of the A14 tune to its Var3c up and down variants [101]. For the $t\bar{t}$ and single-top processes, an uncertainty due to the final-state radiation modelling is estimated from an independent variation of the renormalisation scale for emissions from the parton shower by factors of 2.0 and 0.5. In addition, a variation of

the K -factor for decay-sample $t\bar{t}\gamma$ events from 1.67 to 1.97 is considered in order to account for uncertainties in the extrapolation to the search phase-space. The variation is motivated by the dedicated calculation yielding the inclusive NLO K -factor of 1.30 used in Ref. [66] assuming no K -factor for the production sample. This uncertainty is decorrelated between the regions to account for the phase-space dependence of the inclusive K -factor. The uncertainty due to the choice of parton shower generator is estimated by comparing the nominal predictions with an alternative set using MADGRAPH5_AMC@NLO interfaced with HERWIG for the $t\bar{t}\gamma$ and SM $tq\gamma$ processes, and POWHEG Box v2 interfaced with HERWIG for the $t\bar{t}$ and single-top processes. The parton shower uncertainty for the $t\bar{t}\gamma$ and $t\bar{t}$ processes is fully decorrelated between the individual analysis regions to relax the constraints from these uncertainties by taking into account possible phase-space differences. The impact on the $t\bar{t}$ process is further split between $e \rightarrow \gamma$ and $h \rightarrow \gamma$ fakes. Additionally, for the $t\bar{t}\gamma$ CR, the impact of the parton shower modelling of $t\bar{t} h \rightarrow \gamma$ fakes is split into distribution normalisation and residual uncertainties where the normalisation difference is removed. Furthermore, an uncertainty due to the choice of generator is considered for the $t\bar{t}$ and single-top processes by comparing the nominal prediction with a prediction from MADGRAPH5_AMC@NLO interfaced with PYTHIA8. Finally, for the tW single-top process, an uncertainty due to the overlap with the $t\bar{t}$ process is estimated by replacing the diagram removal scheme with the diagram subtraction scheme [53].

An uncertainty of 1.7% in the integrated luminosity is considered [102] for all processes. The uncertainty due to pile-up is determined by varying the average number of interactions per bunch-crossing by 3% in the simulation. The uncertainties due to the SFs for electrons and hadrons that are misidentified as photons are determined as described in Section 6.

For the triggering, reconstruction, identification, and calibration of the objects, systematic uncertainties are evaluated for the following: electron and muon trigger, reconstruction, identification and isolation SFs [68,78,80]; photon identification [68,103] and isolation SFs; electron- and photon-energy and muon-momentum calibration and resolution [68,80]; jet energy scale [104] and jet energy resolution [105]; JVT SF [81]; b -tagging SFs [75,82,83]; E_T^{miss} soft term [77].

The uncertainty originating from the limited number of simulated MC events is implemented via the Barlow–Beeston approach [106]. Two uncertainties for each bin of the fitted distributions are considered, one for the uncertainty originating from the SM backgrounds and one for the combined production and decay FCNC signal.

9. Results

The normalisations of the signal contribution and the two contributions from $t\bar{t}\gamma$ and $W\gamma$ +jets production are obtained from a simultaneous binned profile-likelihood fit to the NN discriminant distribution in the SR and the photon p_T distribution in the $t\bar{t}\gamma$ and $W\gamma$ +jets CRs, with systematic uncertainties included as nuisance parameters. Fig. 4 shows the corresponding post-fit distribution of the NN discriminant for the $tu\gamma$ signal. The signal is scaled to 10 times the observed upper limit on the BR for the $t \rightarrow u\gamma$ LH coupling, corresponding to a BR of 8.5×10^{-5} . The qualitative features of these distributions are similar for the $tc\gamma$ NN.

The data and SM predictions agree within uncertainties and no significant FCNC contributions are observed. From the 95% confidence level (CL) upper limits on the signal contribution, derived using the CL_s method [107], the corresponding limits on the effective coupling parameters are calculated [108]. From these, limits on the BRs are also derived. The background contributions from

Table 2

The 95% CL limits on the effective coupling constants, BRs and production cross-sections. The expected limits with their uncertainties, representing one standard deviation, as well as observed limits are shown. The scale of new physics is set to $\Lambda = 1$ TeV.

Observable	Coupling	Expected	Observed
$ C_{uW}^{(13)*} + C_{uB}^{(13)*} $	$t \rightarrow u\gamma$ LH	$0.104^{+0.020}_{-0.016}$	0.103
$ C_{uW}^{(31)} + C_{uB}^{(31)} $	$t \rightarrow u\gamma$ RH	$0.122^{+0.023}_{-0.018}$	0.123
$ C_{cW}^{(23)*} + C_{cB}^{(23)*} $	$t \rightarrow c\gamma$ LH	$0.205^{+0.037}_{-0.031}$	0.227
$ C_{cW}^{(32)} + C_{cB}^{(32)} $	$t \rightarrow c\gamma$ RH	$0.214^{+0.039}_{-0.032}$	0.235
BR ($t \rightarrow q\gamma$)	$t \rightarrow u\gamma$ LH	$0.88^{+0.37}_{-0.25}$	0.85
BR ($t \rightarrow q\gamma$)	$t \rightarrow u\gamma$ RH	$1.20^{+0.50}_{-0.33}$	1.22
BR ($t \rightarrow q\gamma$)	$t \rightarrow c\gamma$ LH	$3.40^{+1.35}_{-0.95}$	4.16
BR ($t \rightarrow q\gamma$)	$t \rightarrow c\gamma$ RH	$3.70^{+1.47}_{-1.03}$	4.46
$\sigma(pp \rightarrow t\gamma)$ [fb]	$t \rightarrow u\gamma$ LH	$11.2^{+4.7}_{-3.1}$	10.9
$\sigma(pp \rightarrow t\gamma)$ [fb]	$t \rightarrow u\gamma$ RH	$15.3^{+6.4}_{-4.3}$	15.6
$\sigma(pp \rightarrow t\gamma)$ [fb]	$t \rightarrow c\gamma$ LH	$6.2^{+2.5}_{-1.7}$	7.6
$\sigma(pp \rightarrow t\gamma)$ [fb]	$t \rightarrow c\gamma$ RH	$6.8^{+2.7}_{-1.9}$	8.2

$t\bar{t}\gamma$ and $W\gamma$ +jets production are scaled by normalisation factors estimated to be 1.00 ± 0.10 and 1.15 ± 0.15 , respectively, from the fit for the $tu\gamma$ LH coupling. The normalisation values determined in the fit for the $tc\gamma$ LH coupling are 0.97 ± 0.10 for the $t\bar{t}\gamma$ contribution and 1.16 ± 0.15 for $W\gamma$ +jets. The normalisation values are similar for the fits with the RH FCNC couplings. The K -factors for the $t\bar{t}\gamma$ decay-sample are fitted to the values of about 1.57 for the SR, about 1.61 for the $t\bar{t}\gamma$ CR and about 1.73 for the $W\gamma$ +jets CR. The smallest post-fit uncertainty on the K -factor is seen in the $t\bar{t}\gamma$ CR, where the uncertainty is found to be about 0.24. The observed and expected 95% CL limits on the effective coupling strengths, the BRs and the production cross-sections are presented in Table 2 as well as in Fig. 5. The fitted normalisations of the FCNC $tc\gamma$ signal are larger than zero, although consistent with zero within one standard deviation. Thus, the observed 95% CL limits for the $tc\gamma$ couplings are larger than the expected 95% CL limits. The dominant source of uncertainty in the signal contribution for the $tu\gamma$ couplings is the statistical uncertainty. All systematic uncertainties worsen the limit by only about 20%. For the $tc\gamma$ couplings, the effect of the systematic uncertainties is larger, worsening the limit by about 40%, but the statistical uncertainties also play an important role. The different importance of the systematic uncertainties on the observed limits between $tu\gamma$ and $tc\gamma$ couplings result in a difference in the improvement in the limits compared to the previous results [15] for the two couplings. The sources of systematic uncertainty with the largest impact on the estimated signal contribution depend on the coupling studied. For the $tu\gamma$ couplings, the dominant systematic uncertainties arise from the cross-section uncertainty of the SM $tq\gamma$ process, the uncertainty in the electron-photon energy scale and the decay K -factor uncertainty in the $t\bar{t}\gamma$ process. For the $tc\gamma$ couplings, the dominant systematic uncertainties originate from the cross-section uncertainty of the SM $tq\gamma$ process, the uncertainty in the hadron-to-photon SFs and the limited number of simulated events for the SM backgrounds. No nuisance parameters are significantly pulled or constrained. The difference in the improvement for the $tu\gamma$ and $tc\gamma$ coupling with respect to the previously published result [15] stems mainly from the different relative contribution of the production and decay modes between the couplings. The efficiency for the decay mode with higher jet multiplicity is particularly increased compared to the previous result, increasing the improvement for the $tc\gamma$ coupling limits.

10. Conclusion

A search for flavour-changing neutral currents (FCNCs) in events with one top quark and a photon is presented using 139 fb^{-1} of




Fig. 4. Post-fit distributions of a background-only fit to the NN discriminant in the SR for the $t\bar{t}\gamma$ coupling (top) and the photon p_T distribution in the $t\bar{t}\gamma$ (bottom left) and $W\gamma$ +jet CRs (bottom right). The last bin of the distributions contains the overflow and in the case of the SR, the first bin also contains the underflow. In addition, in the SR, the expected $t\bar{t}\gamma$ LH signal is overlaid for an expected number of events corresponding to the observed 95% CL limit scaled by a factor of ten, representing BR for the $t \rightarrow u\gamma$ LH coupling of 8.5×10^{-5} . The lower panels show the ratios of the data ('Data') to the background prediction ('Bkg.'). The uncertainty band includes both the statistical and systematic uncertainties in the background prediction. Correlations among uncertainties were taken into account as determined in the fit.




Fig. 5. The 95% CL upper limits on the effective coupling constants (left) and BRs (right). The expected (observed) limits are shown with the dotted (solid) lines. The green (yellow) bands represent one (two) standard deviations for the limits. The scale of new physics is set to $\Lambda = 1$ TeV.

$\sqrt{s} = 13$ TeV pp collision data collected with the ATLAS detector at the LHC. Events with a photon, an electron or muon, exactly one b -tagged jet, missing transverse momentum and possibly additional

jets are selected. The contribution from events with electrons or hadrons that are misidentified as photons is estimated from simulation with data-driven corrections, and the two main background

processes with a prompt photon are estimated with control regions. Multiclass neural networks are used to distinguish events with FCNCs in the production process, events with FCNCs in the decay process, and background events. The outputs are combined into a one-dimensional discriminant to search for the FCNC signal. The data are consistent with the background-only hypothesis. Limits are set on the strength of effective operators that introduce a left- or right-handed flavour-changing $tq\gamma$ coupling with an up-type quark q . The 95% CL bounds on the corresponding branching fractions for the FCNC top-quark decays are $\mathcal{B}(t \rightarrow u\gamma) < 0.85 \times 10^{-5}$ and $\mathcal{B}(t \rightarrow c\gamma) < 4.2 \times 10^{-5}$ for a left-handed $tq\gamma$ coupling, and $\mathcal{B}(t \rightarrow u\gamma) < 1.2 \times 10^{-5}$ and $\mathcal{B}(t \rightarrow c\gamma) < 4.5 \times 10^{-5}$ for a right-handed coupling. The obtained limits are the most stringent to date and improve on the previous ATLAS limits by factors of 3.3 to 5.4. The improvements in the limits originate mainly from considering events with more than one jet, the optimisation of the signal separation and the increased integrated luminosity.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

The data for this manuscript are not available. The values in the plots and tables associated to this article are stored in HEPDATA (<https://hepdata.cedar.ac.uk>).

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozio Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEIN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Canton of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelser, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden),

CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [109].

References

- [1] S.L. Glashow, J. Iliopoulos, L. Maiani, Weak interactions with lepton-hadron symmetry, *Phys. Rev. D* 2 (1970) 1285.
- [2] J.A. Aguilar-Saavedra, Top flavor-changing neutral interactions: theoretical expectations and experimental detection, *Acta Phys. Pol. B* 35 (2004) 2695, arXiv:hep-ph/0409342.
- [3] J.M. Yang, B.-L. Young, X. Zhang, Flavor-changing top quark decays in R-parity-violating supersymmetric models, *Phys. Rev. D* 58 (1998) 055001, arXiv:hep-ph/9705341.
- [4] D. Delépine, S. Khalil, Top flavour violating decays in general supersymmetric models, *Phys. Lett. B* 599 (2004) 62, arXiv:hep-ph/0406264.
- [5] J.J. Cao, et al., Supersymmetry-induced flavor-changing neutral-current top-quark processes at the CERN Large Hadron Collider, *Phys. Rev. D* 75 (2007) 075021, arXiv:hep-ph/0702264.
- [6] J.-L. Yang, T.-F. Feng, H.-B. Zhang, G.-Z. Ning, X.-Y. Yang, Top quark decays with flavor violation in the B-LSSM, *Eur. Phys. J. C* 78 (2018) 438, arXiv:1806.01476 [hep-ph].
- [7] D. Atwood, L. Reina, A. Soni, Phenomenology of two Higgs doublet models with flavor-changing neutral currents, *Phys. Rev. D* 55 (1997) 3156, arXiv:hep-ph/9609279.
- [8] S. Bĕjar, J. Guasch, J. Solà, Loop induced flavor changing neutral decays of the top quark in a general two-Higgs-doublet model, *Nucl. Phys. B* 600 (2001) 21, arXiv:hep-ph/0011091.
- [9] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, *J. Instrum.* 3 (2008) S08003.
- [10] J.A. Aguilar-Saavedra, A minimal set of top anomalous couplings, *Nucl. Phys. B* 812 (2009) 181, arXiv:0811.3842 [hep-ph].
- [11] G. Durieux, F. Maltoni, C. Zhang, Global approach to top-quark flavor-changing interactions, *Phys. Rev. D* 91 (2015) 074017, arXiv:1412.7166 [hep-ph].
- [12] B. Grzadkowski, M. Iskrzyński, M. Misiak, J. Rosiek, Dimension-six terms in the standard model Lagrangian, *J. High Energy Phys.* 10 (2010) 085, arXiv:1008.4884 [hep-ph].
- [13] J.A. Aguilar-Saavedra, et al., Interpreting top-quark LHC measurements in the standard-model effective field theory, arXiv:1802.07237 [hep-ph].
- [14] CMS Collaboration, Search for anomalous single top quark production in association with a photon in pp collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* 04 (2016) 035, arXiv:1511.03951 [hep-ex].
- [15] ATLAS Collaboration, Search for flavour-changing neutral currents in processes with one top quark and a photon using 81fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment, *Phys. Lett. B* 800 (2020) 135082, arXiv:1908.08461 [hep-ex].
- [16] B. Abbott, et al., Production and integration of the ATLAS Insertable B-Layer, *J. Instrum.* 13 (2018) T05008, arXiv:1803.00844 [physics.ins-det].
- [17] ATLAS Collaboration, ATLAS insertable B-layer technical design report addendum, CERN-LHCC-2012-009, Addendum to CERN-LHCC-2010-013, ATLAS-TDR-019, <https://cds.cern.ch/record/1451888>, 2012.
- [18] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [19] ATLAS Collaboration, The ATLAS Collaboration Software and Firmware, ATLSOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [20] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, *Eur. Phys. J. C* 80 (2020) 47, arXiv:1909.00761 [hep-ex].
- [21] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* 15 (2020) P09015, arXiv:2004.13447 [hep-ex].
- [22] ATLAS Collaboration, ATLAS data quality operations and performance for 2015–2018 data-taking, *J. Instrum.* 15 (2020) P04003, arXiv:1911.04632 [physics.ins-det].
- [23] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, *J. Instrum.* 13 (2018) P07017.
- [24] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [25] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [26] ATLAS Collaboration, The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model, ATLAS-PHYS-PUB-2016-017, <https://cds.cern.ch/record/2206965>, 2016.
- [27] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [28] GEANT4 Collaboration, S. Agostinelli, et al., GEANT4 – a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip.* 506 (2003) 250.

- [29] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <https://cds.cern.ch/record/1300517>, 2010.
- [30] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 462 (2001) 152.
- [31] S. Mrenna, P. Skands, Automated parton-shower variations in PYTHIA 8, Phys. Rev. D 94 (2016) 074005, arXiv:1605.08352 [hep-ph].
- [32] C. Degrande, F. Maltoni, J. Wang, C. Zhang, Automatic computations at next-to-leading order in QCD for top-quark flavor-changing neutral processes, Phys. Rev. D 91 (2015) 034024, arXiv:1412.5594 [hep-ph].
- [33] R.D. Ball, et al., Parton distributions for the LHC run II, J. High Energy Phys. 04 (2015) 040, arXiv:1410.8849 [hep-ph].
- [34] M. Barros, et al., Study of interference effects in the search for flavour-changing neutral current interactions involving the top quark and a photon or a Z boson at the LHC, Eur. Phys. J. Plus 135 (2020) 339, arXiv:1909.08443 [hep-ph].
- [35] P. Artoisenet, R. Frederix, O. Mattelaer, R. Rietkerk, Automatic spin-entangled decays of heavy resonances in Monte Carlo simulations, J. High Energy Phys. 03 (2013) 015, arXiv:1212.3460 [hep-ph].
- [36] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, Comput. Phys. Commun. 191 (2015) 159, arXiv:1410.3012 [hep-ph].
- [37] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [38] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [39] K. Melnikov, M. Schulze, A. Scharf, QCD corrections to top quark pair production in association with a photon at hadron colliders, Phys. Rev. D 83 (2011) 074013, arXiv:1102.1967 [hep-ph].
- [40] S. Frixione, G. Ridolfi, P. Nason, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, J. High Energy Phys. 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [41] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040, arXiv:hep-ph/0409146.
- [42] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, J. High Energy Phys. 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [43] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [44] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling for Top2016, ATL-PHYS-PUB-2016-020, <https://cds.cern.ch/record/2216168>, 2016.
- [45] M. Beneke, P. Falgari, S. Klein, C. Schwinn, Hadronic top-quark pair production with NNLL threshold resummation, Nucl. Phys. B 855 (2012) 695, arXiv:1109.1536 [hep-ph].
- [46] M. Cacciari, M. Czakon, M. Mangano, A. Mitov, P. Nason, Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, Phys. Lett. B 710 (2012) 612, arXiv:1111.5869 [hep-ph].
- [47] P. Bärnreuther, M. Czakon, A. Mitov, Percent-level-precision physics at the Tevatron: next-to-next-to-leading order QCD corrections to $q\bar{q} \rightarrow t\bar{t} + X$, Phys. Rev. Lett. 109 (2012) 132001, arXiv:1204.5201 [hep-ph].
- [48] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, J. High Energy Phys. 12 (2012) 054, arXiv:1207.0236 [hep-ph].
- [49] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction, J. High Energy Phys. 01 (2013) 080, arXiv:1210.6832 [hep-ph].
- [50] M. Czakon, P. Fiedler, A. Mitov, Total top-quark pair-production cross section at hadron colliders through $O(\alpha_s^4)$, Phys. Rev. Lett. 110 (2013) 252004, arXiv:1303.6254 [hep-ph].
- [51] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, Comput. Phys. Commun. 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [52] R. Frederix, E. Re, P. Torrielli, Single-top t-channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO, J. High Energy Phys. 09 (2012) 130, arXiv:1207.5391 [hep-ph].
- [53] S. Frixione, E. Laenen, P. Motylinski, C. White, B.R. Webber, Single-top hadroproduction in association with a W boson, J. High Energy Phys. 07 (2008) 029, arXiv:0805.3067 [hep-ph].
- [54] E. Bothmann, et al., Event generation with Sherpa 2.2, SciPost Phys. 7 (2019) 034, arXiv:1905.09127 [hep-ph].
- [55] T. Gleisberg, S. Höche, Comix, a new matrix element generator, J. High Energy Phys. 12 (2008) 039, arXiv:0808.3674 [hep-ph].
- [56] S. Schumann, F. Krauss, A parton shower algorithm based on Catani–Seymour dipole factorisation, J. High Energy Phys. 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [57] S. Höche, F. Krauss, M. Schönherr, F. Siegert, A critical appraisal of NLO+PS matching methods, J. High Energy Phys. 09 (2012) 049, arXiv:1111.1220 [hep-ph].
- [58] S. Höche, F. Krauss, M. Schönherr, F. Siegert, QCD matrix elements + parton showers. The NLO case, J. High Energy Phys. 04 (2013) 027, arXiv:1207.5030 [hep-ph].
- [59] S. Catani, F. Krauss, B.R. Webber, R. Kuhn, QCD matrix elements + parton showers, J. High Energy Phys. 11 (2001) 063, arXiv:hep-ph/0109231.
- [60] S. Höche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, J. High Energy Phys. 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [61] F. Buccioni, et al., OpenLoops 2, Eur. Phys. J. C 79 (2019) 866, arXiv:1907.13071 [hep-ph].
- [62] F. Cascioli, P. Maierhöfer, S. Pozzorini, Scattering amplitudes with open loops, Phys. Rev. Lett. 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [63] F. Buccioni, S. Pozzorini, M. Zoller, On-the-fly reduction of open loops, Eur. Phys. J. C 78 (2018) 70, arXiv:1710.11452 [hep-ph].
- [64] A. Denner, S. Dittmaier, L. Hofer, COLLIER: a fortran-based complex one-loop library in extended regularizations, Comput. Phys. Commun. 212 (2017) 220, arXiv:1604.06792 [hep-ph].
- [65] C. Anastasiou, L. Dixon, K. Melnikov, F. Petriello, High-precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at next-to-next-to leading order, Phys. Rev. D 69 (2004) 094008, arXiv:hep-ph/0312266.
- [66] ATLAS Collaboration, Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS, Eur. Phys. J. C 79 (2019) 382, arXiv:1812.01697 [hep-ex].
- [67] ATLAS Collaboration, Electron and photon reconstruction and performance in ATLAS using a dynamical, topological cell clustering-based approach, ATL-PHYS-PUB-2017-022, <https://cds.cern.ch/record/2298955>, 2017.
- [68] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, J. Instrum. 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [69] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 81 (2021) 578, arXiv:2012.00578 [hep-ex].
- [70] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS detector, Eur. Phys. J. C 77 (2017) 466, arXiv:1703.10485 [hep-ex].
- [71] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [72] M. Cacciari, G.P. Salam, G. Soyez, Fastjet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [73] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C 81 (2020) 689, arXiv:2007.02645 [hep-ex].
- [74] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, Eur. Phys. J. C 76 (2016) 581, arXiv:1510.03823 [hep-ex].
- [75] ATLAS Collaboration, ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 79 (2019) 970, arXiv:1907.05120 [hep-ex].
- [76] ATLAS Collaboration, Optimisation and performance studies of the ATLAS b -tagging algorithms for the 2017–18 LHC run, ATL-PHYS-PUB-2017-013, <https://cds.cern.ch/record/2273281>, 2017.
- [77] ATLAS Collaboration, Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 78 (2018) 903, arXiv:1802.08168 [hep-ex].
- [78] ATLAS Collaboration, Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 79 (2019) 639, arXiv:1902.04655 [hep-ex].
- [79] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton–proton collision data, J. Instrum. 14 (2019) P03017, arXiv:1812.03848 [hep-ex].
- [80] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [81] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, ATLAS-CONF-2014-018, <https://cds.cern.ch/record/1700870>, 2014.
- [82] ATLAS Collaboration, Measurement of b -tagging efficiency of c -jets in $t\bar{t}$ events using a likelihood approach with the ATLAS detector, ATLAS-CONF-2018-001, <https://cds.cern.ch/record/2306649>, 2018.
- [83] ATLAS Collaboration, Calibration of light-flavour b -jet mistagging rates using ATLAS proton–proton collision data at $\sqrt{s} = 13$ TeV, ATLAS-CONF-2018-006, <https://cds.cern.ch/record/2314418>, 2018.
- [84] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016, Eur. Phys. J. C 79 (2019) 205, arXiv:1810.05087 [hep-ex].
- [85] CDF Collaboration, Measurement of $\sigma(B \rightarrow e\nu)$ and $\sigma(B(Z^0 \rightarrow e^+e^-))$ in $p\bar{p}$ collisions at $\sqrt{s} = 1800$ GeV, Phys. Rev. D 44 (1991) 29.
- [86] F. Chollet, et al., <https://keras.io>, 2015.
- [87] M. Abadi, et al., TensorFlow: large-scale machine learning on heterogeneous systems, <https://www.tensorflow.org/>, 2015.
- [88] F. Pedregosa, et al., Scikit-learn: machine learning in Python, J. Mach. Learn. Res. 12 (2011) 2825, arXiv:1201.0490 [cs.LG], <http://jmlr.org/papers/v12/pedregosa11a.html>.

- [89] D.P. Kingma, J. Ba, Adam: a method for stochastic optimization, arXiv:1412.6980, 2014.
- [90] M. Botje, et al., The PDF4LHC working group interim recommendations, arXiv:1101.0538 [hep-ph], 2011.
- [91] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Uncertainties on α_s in global PDF analyses and implications for predicted hadronic cross sections, Eur. Phys. J. C 64 (2009) 653, arXiv:0905.3531 [hep-ph].
- [92] J. Gao, et al., CT10 next-to-next-to-leading order global analysis of QCD, Phys. Rev. D 89 (2014) 033009, arXiv:1302.6246 [hep-ph].
- [93] N. Kidonakis, Next-to-next-to-leading order collinear and soft gluon corrections for t-channel single top quark production, Phys. Rev. D 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [94] N. Kidonakis, Next-to-next-to-leading order logarithm resummation for s-channel single top quark production, Phys. Rev. D 81 (2010) 054028, arXiv:1001.5034 [hep-ph].
- [95] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a W^- or H^- , Phys. Rev. D 82 (2010) 054018, arXiv:1005.4451 [hep-ph].
- [96] ATLAS Collaboration, Monte Carlo generators for the production of a W or Z/γ^* boson in association with jets at ATLAS in Run 2, ATL-PHYS-PUB-2016-003, <https://cds.cern.ch/record/2120133>, 2016.
- [97] ATLAS Collaboration, Multi-boson simulation for 13 TeV ATLAS analyses, ATL-PHYS-PUB-2016-002, <https://cds.cern.ch/record/2119986>, 2016.
- [98] M. Bähr, et al., Herwig++ physics and manual, Eur. Phys. J. C 58 (2008) 639, arXiv:0803.0883 [hep-ph].
- [99] J. Bellm, et al., Herwig 7.0/Herwig++ 3.0 release note, Eur. Phys. J. C 76 (2016) 196, arXiv:1512.01178 [hep-ph].
- [100] L. Harland-Lang, A. Martin, P. Motylinski, R. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, Eur. Phys. J. C 75 (2015) 204, arXiv:1412.3989 [hep-ph].
- [101] ATLAS Collaboration, Studies on top-quark Monte Carlo modelling with Sherpa and MG5_aMC@NLO, ATL-PHYS-PUB-2017-007, <https://cds.cern.ch/record/2261938>, 2017.
- [102] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [103] ATLAS Collaboration, Photon identification in 2015 ATLAS data, ATL-PHYS-PUB-2016-014, <https://cds.cern.ch/record/2203125>, 2016.
- [104] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [105] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-015, <https://cds.cern.ch/record/2037613>, 2015.
- [106] R. Barlow, C. Beeston, Fitting using finite Monte Carlo samples, Comput. Phys. Commun. 77 (1993) 219.
- [107] A.L. Read, Presentation of search results: the CL_s technique, J. Phys. G 28 (2002) 2693.
- [108] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [109] ATLAS Collaboration, ATLAS Computing Acknowledgements, ATL-SOFT-PUB-2021-003.

The ATLAS Collaboration

G. Aad¹⁰¹, B. Abbott¹¹⁹, D.C. Abbott¹⁰², A. Abed Abud³⁶, K. Abeling⁵⁵, S.H. Abidi²⁹, A. Abouhorma^{35e}, H. Abramowicz¹⁵⁰, H. Abreu¹⁴⁹, Y. Abulaiti¹¹⁶, A.C. Abusleme Hoffman^{136a}, B.S. Acharya^{68a,68b,o}, B. Achkar⁵⁵, L. Adam⁹⁹, C. Adam Bourdarios⁴, L. Adamczyk^{84a}, L. Adamek¹⁵⁴, S.V. Addepalli²⁶, J. Adelman¹¹⁴, A. Adiguzel^{21c}, S. Adorni⁵⁶, T. Adye¹³³, A.A. Affolder¹³⁵, Y. Afik³⁶, M.N. Agaras¹³, J. Agarwala^{72a,72b}, A. Aggarwal⁹⁹, C. Agheorghiesei^{27c}, J.A. Aguilar-Saavedra^{129f}, A. Ahmad³⁶, F. Ahmadov^{38,w}, W.S. Ahmed¹⁰³, X. Ai⁴⁸, G. Aielli^{75a,75b}, I. Aizenberg¹⁶⁸, M. Akbiyik⁹⁹, T.P.A. Åkesson⁹⁷, A.V. Akimov³⁷, K. Al Khoury⁴¹, G.L. Alberghi^{23b}, J. Albert¹⁶⁴, P. Albicocco⁵³, M.J. Alconada Verzini⁸⁹, S. Alderweireldt⁵², M. Aleksa³⁶, I.N. Aleksandrov³⁸, C. Alexa^{27b}, T. Alexopoulos¹⁰, A. Alfonsi¹¹³, F. Alfonsi^{23b}, M. Alhroob¹¹⁹, B. Ali¹³¹, S. Ali¹⁴⁷, M. Aliev³⁷, G. Alimonti^{70a}, C. Allaire³⁶, B.M.M. Allbrooke¹⁴⁵, P.P. Allport²⁰, A. Aloisio^{71a,71b}, F. Alonso⁸⁹, C. Alpigiani¹³⁷, E. Alunno Camelia^{75a,75b}, M. Alvarez Estevez⁹⁸, M.G. Alviggi^{71a,71b}, Y. Amaral Coutinho^{81b}, A. Ambler¹⁰³, C. Amelung³⁶, C.G. Ames¹⁰⁸, D. Amidei¹⁰⁵, S.P. Amor Dos Santos^{129a}, S. Amoroso⁴⁸, K.R. Amos¹⁶², C.S. Amrouche⁵⁶, V. Ananiev¹²⁴, C. Anastopoulos¹³⁸, N. Andari¹³⁴, T. Andeen¹¹, J.K. Anders¹⁹, S.Y. Andreev^{47a,47b}, A. Andreazza^{70a,70b}, S. Angelidakis⁹, A. Angerami^{41,y}, A.V. Anisenkov³⁷, A. Annovi^{73a}, C. Antel⁵⁶, M.T. Anthony¹³⁸, E. Antipov¹²⁰, M. Antonelli⁵³, D.J.A. Antrim^{17a}, F. Anulli^{74a}, M. Aoki⁸², J.A. Aparisi Pozo¹⁶², M.A. Aparo¹⁴⁵, L. Aperio Bella⁴⁸, C. Appelt¹⁸, N. Aranzabal³⁶, V. Araujo Ferraz^{81a}, C. Arcangeletti⁵³, A.T.H. Arce⁵¹, E. Arena⁹¹, J.-F. Arguin¹⁰⁷, S. Argyropoulos⁵⁴, J.-H. Arling⁴⁸, A.J. Armbruster³⁶, O. Arnaez¹⁵⁴, H. Arnold¹¹³, Z.P. Arrubarrena Tame¹⁰⁸, G. Artoni^{74a,74b}, H. Asada¹¹⁰, K. Asai¹¹⁷, S. Asai¹⁵², N.A. Asbah⁶¹, E.M. Asimakopoulou¹⁶⁰, J. Assahsah^{35d}, K. Assamagan²⁹, R. Astalos^{28a}, R.J. Atkin^{33a}, M. Atkinson¹⁶¹, N.B. Atlay¹⁸, H. Atmani^{62b}, P.A. Atlasiddha¹⁰⁵, K. Augsten¹³¹, S. Auricchio^{71a,71b}, A.D. Auriol²⁰, V.A. Austrup¹⁷⁰, G. Avner¹⁴⁹, G. Avolio³⁶, K. Axiotis⁵⁶, M.K. Ayoub^{14c}, G. Azuelos^{107,ad}, D. Babal^{28a}, H. Bachacou¹³⁴, K. Bachas^{151,q}, A. Bachiu³⁴, F. Backman^{47a,47b}, A. Badea⁶¹, P. Bagnaia^{74a,74b}, M. Bahmani¹⁸, A.J. Bailey¹⁶², V.R. Bailey¹⁶¹, J.T. Baines¹³³, C. Bakalis¹⁰, O.K. Baker¹⁷¹, P.J. Bakker¹¹³, E. Bakos¹⁵, D. Bakshi Gupta⁸, S. Balaji¹⁴⁶, R. Balasubramanian¹¹³, E.M. Baldin³⁷, P. Balek¹³², E. Ballabene^{70a,70b}, F. Balli¹³⁴, L.M. Baltes^{63a}, W.K. Balunas³², J. Balz⁹⁹, E. Banas⁸⁵, M. Bandieramonte¹²⁸, A. Bandyopadhyay²⁴, S. Bansal²⁴, L. Barak¹⁵⁰, E.L. Barberio¹⁰⁴, D. Barberis^{57b,57a}, M. Barbero¹⁰¹, G. Barbour⁹⁵, K.N. Barends^{33a}, T. Barillari¹⁰⁹, M.-S. Barisits³⁶, J. Barkeloo¹²², T. Barklow¹⁴², R.M. Barnett^{17a}, P. Baron¹²¹, D.A. Baron Moreno¹⁰⁰, A. Baroncelli^{62a}, G. Barone²⁹, A.J. Barr¹²⁵, L. Barranco Navarro^{47a,47b}, F. Barreiro⁹⁸, J. Barreiro Guimarães da Costa^{14a}, U. Barron¹⁵⁰, S. Barsov³⁷, F. Bartels^{63a}, R. Bartoldus¹⁴², A.E. Barton⁹⁰, P. Bartos^{28a}, A. Basaliev⁴⁸,

A. Basan⁹⁹, M. Baselga⁴⁹, I. Bashta^{76a,76b}, A. Bassalat^{66,z}, M.J. Basso¹⁵⁴, C.R. Basson¹⁰⁰, R.L. Bates⁵⁹, S. Batlamous^{35e}, J.R. Batley³², B. Batool¹⁴⁰, M. Battaglia¹³⁵, M. Bauce^{74a,74b}, P. Bauer²⁴, A. Bayirli^{21a}, J.B. Beacham⁵¹, T. Beau¹²⁶, P.H. Beauchemin¹⁵⁷, F. Becherer⁵⁴, P. Bechtle²⁴, H.P. Beck^{19,p}, K. Becker¹⁶⁶, C. Becot⁴⁸, A.J. Beddall^{21d}, V.A. Bednyakov³⁸, C.P. Bee¹⁴⁴, L.J. Beemster¹⁵, T.A. Beermann³⁶, M. Begalli^{81b}, M. Begel²⁹, A. Behera¹⁴⁴, J.K. Behr⁴⁸, C. Beirao Da Cruz E Silva³⁶, J.F. Beirer^{55,36}, F. Beisiegel²⁴, M. Belfkir¹⁵⁸, G. Bella¹⁵⁰, L. Bellagamba^{23b}, A. Bellerive³⁴, P. Bellos²⁰, K. Beloborodov³⁷, K. Belotskiy³⁷, N.L. Belyaev³⁷, D. Bencheekroun^{35a}, Y. Benhammou¹⁵⁰, D.P. Benjamin²⁹, M. Benoit²⁹, J.R. Bensinger²⁶, S. Bentvelsen¹¹³, L. Beresford³⁶, M. Beretta⁵³, D. Berge¹⁸, E. Bergeaas Kuutmann¹⁶⁰, N. Berger⁴, B. Bergmann¹³¹, J. Beringer^{17a}, S. Berlendis⁷, G. Bernardi⁵, C. Bernius¹⁴², F.U. Bernlochner²⁴, T. Berry⁹⁴, P. Berta¹³², A. Berthold⁵⁰, I.A. Bertram⁹⁰, O. Bessidskaia Bylund¹⁷⁰, S. Bethke¹⁰⁹, A. Betti⁴⁴, A.J. Bevan⁹³, S. Bhatta¹⁴⁴, D.S. Bhattacharya¹⁶⁵, P. Bhattarai²⁶, V.S. Bhopatkar⁶, R. Bi¹²⁸, R. Bi^{29,ag}, R.M. Bianchi¹²⁸, O. Biebel¹⁰⁸, R. Bielski¹²², N.V. Biesuz^{73a,73b}, M. Biglietti^{76a}, T.R.V. Billoud¹³¹, M. Bindi⁵⁵, A. Bingul^{21b}, C. Bini^{74a,74b}, S. Biondi^{23b,23a}, A. Biondini⁹¹, C.J. Birch-sykes¹⁰⁰, G.A. Bird^{20,133}, M. Birman¹⁶⁸, T. Bisanz³⁶, D. Biswas^{169,k}, A. Bitadze¹⁰⁰, K. Bjørke¹²⁴, I. Bloch⁴⁸, C. Blocker²⁶, A. Blue⁵⁹, U. Blumenschein⁹³, J. Blumenthal⁹⁹, G.J. Bobbink¹¹³, V.S. Bobrovnikov³⁷, M. Boehler⁵⁴, D. Bogavac¹³, A.G. Bogdanchikov³⁷, C. Boehm^{47a}, V. Boisvert⁹⁴, P. Bokan⁴⁸, T. Bold^{84a}, M. Bomben⁵, M. Bona⁹³, M. Boonekamp¹³⁴, C.D. Booth⁹⁴, A.G. Borbély⁵⁹, H.M. Borecka-Bielska¹⁰⁷, L.S. Borgna⁹⁵, G. Borissov⁹⁰, D. Bortoletto¹²⁵, D. Boscherini^{23b}, M. Bosman¹³, J.D. Bossio Sola³⁶, K. Bouaouda^{35a}, J. Boudreau¹²⁸, E.V. Bouhova-Thacker⁹⁰, D. Boumediene⁴⁰, R. Bouquet⁵, A. Boveia¹¹⁸, J. Boyd³⁶, D. Boye²⁹, I.R. Boyko³⁸, J. Bracinik²⁰, N. Brahim^{62d,62c}, G. Brandt¹⁷⁰, O. Brandt³², F. Braren⁴⁸, B. Brau¹⁰², J.E. Brau¹²², W.D. Breaden Madden⁵⁹, K. Brendlinger⁴⁸, R. Brenner¹⁶⁸, L. Brenner³⁶, R. Brenner¹⁶⁰, S. Bressler¹⁶⁸, B. Brickwedde⁹⁹, D. Britton⁵⁹, D. Britzger¹⁰⁹, I. Brock²⁴, G. Brooijmans⁴¹, W.K. Brooks^{136f}, E. Brost²⁹, P.A. Bruckman de Renstrom⁸⁵, B. Brüers⁴⁸, D. Bruncko^{28b,*}, A. Bruni^{23b}, G. Bruni^{23b}, M. Bruschi^{23b}, N. Bruscino^{74a,74b}, L. Bryngemark¹⁴², T. Buanes¹⁶, Q. Buat¹³⁷, P. Buchholz¹⁴⁰, A.G. Buckley⁵⁹, I.A. Budagov^{38,*}, M.K. Bugge¹²⁴, O. Bulekov³⁷, B.A. Bullard⁶¹, S. Burdin⁹¹, C.D. Burgard⁴⁸, A.M. Burger⁴⁰, B. Burghgrave⁸, J.T.P. Burr³², C.D. Burton¹¹, J.C. Burzynski¹⁴¹, E.L. Busch⁴¹, V. Büscher⁹⁹, P.J. Bussey⁵⁹, J.M. Butler²⁵, C.M. Buttar⁵⁹, J.M. Butterworth⁹⁵, W. Buttinger¹³³, C.J. Buxo Vazquez¹⁰⁶, A.R. Buzykaev³⁷, G. Cabras^{23b}, S. Cabrera Urbán¹⁶², D. Caforio⁵⁸, H. Cai¹²⁸, Y. Cai^{14a,14d}, V.M.M. Cairo³⁶, O. Cakir^{3a}, N. Calace³⁶, P. Calafiura^{17a}, G. Calderini¹²⁶, P. Calfayan⁶⁷, G. Callea⁵⁹, L.P. Caloba^{81b}, D. Calvet⁴⁰, S. Calvet⁴⁰, T.P. Calvet¹⁰¹, M. Calvetti^{73a,73b}, R. Camacho Toro¹²⁶, S. Camarda³⁶, D. Camarero Munoz⁹⁸, P. Camarri^{75a,75b}, M.T. Camerlingo^{76a,76b}, D. Cameron¹²⁴, C. Camincher¹⁶⁴, M. Campanelli⁹⁵, A. Camplani⁴², V. Canale^{71a,71b}, A. Canesse¹⁰³, M. Cano Bret⁷⁹, J. Cantero¹⁶², Y. Cao¹⁶¹, F. Capocasa²⁶, M. Capua^{43b,43a}, A. Carbone^{70a,70b}, R. Cardarelli^{75a}, J.C.J. Cardenas⁸, F. Cardillo¹⁶², T. Carli³⁶, G. Carlino^{71a}, B.T. Carlson^{128,r}, E.M. Carlson^{164,155a}, L. Carminati^{70a,70b}, M. Carnesale^{74a,74b}, S. Caron¹¹², E. Carquin^{136f}, S. Carrá⁴⁸, G. Carratta^{23b,23a}, J.W.S. Carter¹⁵⁴, T.M. Carter⁵², M.P. Casado^{13,h}, A.F. Casha¹⁵⁴, E.G. Castiglia¹⁷¹, F.L. Castillo^{63a}, L. Castillo Garcia¹³, V. Castillo Gimenez¹⁶², N.F. Castro^{129a,129e}, A. Catinaccio³⁶, J.R. Catmore¹²⁴, V. Cavaliere²⁹, N. Cavalli^{23b,23a}, V. Cavasinni^{73a,73b}, E. Celebi^{21a}, F. Celli¹²⁵, M.S. Centonze^{69a,69b}, K. Cerny¹²¹, A.S. Cerqueira^{81a}, A. Cerri¹⁴⁵, L. Cerrito^{75a,75b}, F. Cerutti^{17a}, A. Cervelli^{23b}, S.A. Cetin^{21d}, Z. Chadi^{35a}, D. Chakraborty¹¹⁴, M. Chala^{129f}, J. Chan¹⁶⁹, W.S. Chan¹¹³, W.Y. Chan¹⁵², J.D. Chapman³², B. Chargeishvili^{148b}, D.G. Charlton²⁰, T.P. Charman⁹³, M. Chatterjee¹⁹, S. Chekanov⁶, S.V. Chekulaev^{155a}, G.A. Chelkov^{38,a}, A. Chen¹⁰⁵, B. Chen¹⁵⁰, B. Chen¹⁶⁴, C. Chen^{62a}, H. Chen^{14c}, H. Chen²⁹, J. Chen^{62c}, J. Chen²⁶, S. Chen¹⁵², S.J. Chen^{14c}, X. Chen^{62c}, X. Chen^{14b,ac}, Y. Chen^{62a}, C.L. Cheng¹⁶⁹, H.C. Cheng^{64a}, A. Cheplakov³⁸, E. Cheremushkina⁴⁸, E. Cherepanova³⁸, R. Cherkaoui El Moursli^{35e}, E. Cheu⁷, K. Cheung⁶⁵, L. Chevalier¹³⁴, V. Chiarella⁵³, G. Chiarelli^{73a}, G. Chiodini^{69a}, A.S. Chisholm²⁰, A. Chitan^{27b}, Y.H. Chiu¹⁶⁴, M.V. Chizhov³⁸, K. Choi¹¹, A.R. Chomont^{74a,74b}, Y. Chou¹⁰², E.Y.S. Chow¹¹³, T. Chowdhury^{33g}, L.D. Christopher^{33g}, K.L. Chu^{64a}, M.C. Chu^{64a}, X. Chu^{14a,14d}, J. Chudoba¹³⁰, J.J. Chwastowski⁸⁵, D. Cieri¹⁰⁹, K.M. Ciesla⁸⁵, V. Cindro⁹², A. Ciocio^{17a}, F. Ciotto^{71a,71b}, Z.H. Citron^{168,l}, M. Citterio^{70a}, D.A. Ciubotaru^{27b}, B.M. Ciungu¹⁵⁴, A. Clark⁵⁶, P.J. Clark⁵², J.M. Clavijo Columbie⁴⁸, S.E. Clawson¹⁰⁰, C. Clement^{47a,47b}, J. Clercx⁴⁸, L. Clissa^{23b,23a}, Y. Coadou¹⁰¹, M. Cobal^{68a,68c}, A. Coccaro^{57b}, R.F. Coelho Barrue^{129a}, R. Coelho Lopes De Sa¹⁰², S. Coelli^{70a}, H. Cohen¹⁵⁰, A.E.C. Coimbra¹⁴⁹, B. Cole⁴¹, J. Collot⁶⁰, P. Conde Muiño^{129a,129g}, S.H. Connell^{33c}, I.A. Connelly⁵⁹,

E.I. Conroy¹²⁵, F. Conventi^{71a,ae}, H.G. Cooke²⁰, A.M. Cooper-Sarkar¹²⁵, F. Cormier¹⁶³, L.D. Corpe³⁶, M. Corradi^{74a,74b}, E.E. Corrigan⁹⁷, F. Corriveau^{103,v}, A. Cortes-Gonzalez¹⁸, M.J. Costa¹⁶², F. Costanza⁴, D. Costanzo¹³⁸, B.M. Cote¹¹⁸, G. Cowan⁹⁴, J.W. Cowley³², K. Cranmer¹¹⁶, S. Crépé-Renaudin⁶⁰, F. Crescioli¹²⁶, M. Cristinziani¹⁴⁰, M. Cristoforetti^{77a,77b,c}, V. Croft¹⁵⁷, G. Crosetti^{43b,43a}, A. Cueto³⁶, T. Cuhadar Donszelmann¹⁵⁹, H. Cui^{14a,14d}, Z. Cui⁷, A.R. Cukierman¹⁴², W.R. Cunningham⁵⁹, F. Curcio^{43b,43a}, P. Czodrowski³⁶, M.M. Czurylo^{63b}, M.J. Da Cunha Sargedas De Sousa^{62a}, J.V. Da Fonseca Pinto^{81b}, C. Da Via¹⁰⁰, W. Dabrowski^{84a}, T. Dado⁴⁹, S. Dahbi^{33g}, T. Dai¹⁰⁵, C. Dallapiccola¹⁰², M. Dam⁴², G. D'amen²⁹, V. D'Amico^{76a,76b}, J. Damp⁹⁹, J.R. Dandoy¹²⁷, M.F. Daneri³⁰, M. Danninger¹⁴¹, V. Dao³⁶, G. Darbo^{57b}, S. Darmora⁶, S.J. Das²⁹, A. Dattagupta¹²², S. D'Auria^{70a,70b}, C. David^{155b}, T. Davidek¹³², D.R. Davis⁵¹, B. Davis-Purcell³⁴, I. Dawson⁹³, K. De⁸, R. De Asmundis^{71a}, M. De Beurs¹¹³, S. De Castro^{23b,23a}, N. De Groot¹¹², P. de Jong¹¹³, H. De la Torre¹⁰⁶, A. De Maria^{14c}, A. De Salvo^{74a}, U. De Sanctis^{75a,75b}, M. De Santis^{75a,75b}, A. De Santo¹⁴⁵, J.B. De Vivie De Regie⁶⁰, D.V. Dedovich³⁸, J. Degens¹¹³, A.M. Deiana⁴⁴, F. Del Corso^{23b,23a}, J. Del Peso⁹⁸, F. Del Rio^{63a}, F. Deliot¹³⁴, C.M. Delitzsch⁴⁹, M. Della Pietra^{71a,71b}, D. Della Volpe⁵⁶, A. Dell'Acqua³⁶, L. Dell'Asta^{70a,70b}, M. Delmastro⁴, P.A. Delsart⁶⁰, S. Demers¹⁷¹, M. Demichev³⁸, S.P. Denisov³⁷, L. D'Eramo¹¹⁴, D. Derendarz⁸⁵, F. Derue¹²⁶, P. Dervan⁹¹, K. Desch²⁴, K. Dette¹⁵⁴, C. Deutsch²⁴, P.O. Deviveiros³⁶, F.A. Di Bello^{74a,74b}, A. Di Ciaccio^{75a,75b}, L. Di Ciaccio⁴, A. Di Domenico^{74a,74b}, C. Di Donato^{71a,71b}, A. Di Girolamo³⁶, G. Di Gregorio^{73a,73b}, A. Di Luca^{77a,77b}, B. Di Micco^{76a,76b}, R. Di Nardo^{76a,76b}, C. Diaconu¹⁰¹, F.A. Dias¹¹³, T. Dias Do Vale¹⁴¹, M.A. Diaz^{136a,136b}, F.G. Diaz Capriles²⁴, M. Didenko¹⁶², E.B. Diehl¹⁰⁵, L. Diehl⁵⁴, S. Díez Cornell⁴⁸, C. Diez Pardos¹⁴⁰, C. Dimitriadi^{24,160}, A. Dimitrievska^{17a}, W. Ding^{14b}, J. Dingfelder²⁴, I.-M. Dinu^{27b}, S.J. Dittmeier^{63b}, F. Dittus³⁶, F. Djama¹⁰¹, T. Djobava^{148b}, J.I. Djuvsland¹⁶, D. Dodsworth²⁶, C. Doglioni^{100,97}, J. Dolejsi¹³², Z. Dolezal¹³², M. Donadelli^{81c}, B. Dong^{62c}, J. Donini⁴⁰, A. D'Onofrio^{14c}, M. D'Onofrio⁹¹, J. Dopke¹³³, A. Doria^{71a}, M.T. Dova⁸⁹, A.T. Doyle⁵⁹, M.A. Dragnet¹²⁵, E. Drechsler¹⁴¹, E. Dreyer¹⁶⁸, I. Drivas-koulouris¹⁰, A.S. Drobac¹⁵⁷, D. Du^{62a}, T.A. du Pree¹¹³, F. Dubinin³⁷, M. Dubovsky^{28a}, E. Duchovni¹⁶⁸, G. Duckeck¹⁰⁸, O.A. Ducu^{36,27b}, D. Duda¹⁰⁹, A. Dudarev³⁶, M. D'uffizi¹⁰⁰, L. Duflost⁶⁶, M. Dührssen³⁶, C. Dülsen¹⁷⁰, A.E. Dumitriu^{27b}, M. Dunford^{63a}, S. Dungs⁴⁹, K. Dunne^{47a,47b}, A. Duperrin¹⁰¹, H. Duran Yildiz^{3a}, M. Düren⁵⁸, A. Durglishvili^{148b}, B.L. Dwyer¹¹⁴, G.I. Dyckes^{17a}, M. Dyndal^{84a}, S. Dysch¹⁰⁰, B.S. Dziedzic⁸⁵, B. Eckerova^{28a}, M.G. Eggleston⁵¹, E. Egidio Purcino De Souza^{81b}, L.F. Ehrke⁵⁶, G. Eigen¹⁶, K. Einsweiler^{17a}, T. Ekelof¹⁶⁰, P.A. Ekman⁹⁷, Y. El Ghazali^{35b}, H. El Jarrari^{35e,147}, A. El Moussaouy^{35a}, V. Ellajosyula¹⁶⁰, M. Ellert¹⁶⁰, F. Ellinghaus¹⁷⁰, A.A. Elliot⁹³, N. Ellis³⁶, J. Elmsheuser²⁹, M. Elsing³⁶, D. Emeliyanov¹³³, A. Emerman⁴¹, Y. Enari¹⁵², I. Ene^{17a}, S. Epari¹³, J. Erdmann^{49,ai}, A. Ereditato¹⁹, P.A. Erland⁸⁵, M. Errenst¹⁷⁰, M. Escalier⁶⁶, C. Escobar¹⁶², E. Etzion¹⁵⁰, G. Evans^{129a}, H. Evans⁶⁷, M.O. Evans¹⁴⁵, A. Ezhilov³⁷, S. Ezzarqtouni^{35a}, F. Fabbri⁵⁹, L. Fabbri^{23b,23a}, G. Facini⁹⁵, V. Fadeyev¹³⁵, R.M. Fakhrutdinov³⁷, S. Falciano^{74a}, P.J. Falke²⁴, S. Falke³⁶, J. Faltova¹³², Y. Fan^{14a}, Y. Fang^{14a,14d}, G. Fanourakis⁴⁶, M. Fanti^{70a,70b}, M. Faraj^{68a,68b}, A. Farbin⁸, A. Farilla^{76a}, T. Farooque¹⁰⁶, S.M. Farrington⁵², F. Fassi^{35e}, D. Fassouliotis⁹, M. Fauci Giannelli^{75a,75b}, W.J. Fawcett³², L. Fayard⁶⁶, O.L. Fedin^{37,a}, G. Fedotov³⁷, M. Feickert¹⁶¹, L. Felgioni¹⁰¹, A. Fell¹³⁸, D.E. Fellers¹²², C. Feng^{62b}, M. Feng^{14b}, M.J. Fenton¹⁵⁹, A.B. Fenyuk³⁷, L. Ferencz⁴⁸, S.W. Ferguson⁴⁵, J. Ferrando⁴⁸, A. Ferrari¹⁶⁰, P. Ferrari¹¹³, R. Ferrari^{72a}, D. Ferrere⁵⁶, C. Ferretti¹⁰⁵, F. Fiedler⁹⁹, A. Filipčič⁹², E.K. Filmer¹, F. Filthaut¹¹², M.C.N. Fiolhais^{129a,129c,b}, L. Fiorini¹⁶², F. Fischer¹⁴⁰, W.C. Fisher¹⁰⁶, T. Fitschen^{20,66}, I. Fleck¹⁴⁰, P. Fleischmann¹⁰⁵, T. Flick¹⁷⁰, L. Flores¹²⁷, M. Flores^{33d}, L.R. Flores Castillo^{64a}, F.M. Follega^{77a,77b}, N. Fomin¹⁶, J.H. Foo¹⁵⁴, B.C. Forland⁶⁷, A. Formica¹³⁴, A.C. Forti¹⁰⁰, E. Fortin¹⁰¹, A.W. Fortman⁶¹, M.G. Foti^{17a}, L. Fountas⁹, D. Fournier⁶⁶, H. Fox⁹⁰, P. Francavilla^{73a,73b}, S. Francescato⁶¹, M. Franchini^{23b,23a}, S. Franchino^{63a}, D. Francis³⁶, L. Franco⁴, L. Franconi¹⁹, M. Franklin⁶¹, G. Frattari²⁶, A.C. Freegard⁹³, P.M. Freeman²⁰, W.S. Freund^{81b}, N. Fritzsche⁵⁰, A. Froch⁵⁴, D. Froidevaux³⁶, J.A. Frost¹²⁵, Y. Fu^{62a}, M. Fujimoto¹¹⁷, E. Fullana Torregrosa^{162,*}, J. Fuster¹⁶², A. Gabrielli^{23b,23a}, A. Gabrielli³⁶, P. Gadow⁴⁸, G. Gagliardi^{57b,57a}, L.G. Gagnon^{17a}, G.E. Gallardo¹²⁵, E.J. Gallas¹²⁵, B.J. Gallop¹³³, R. Gamboa Goni⁹³, K.K. Gan¹¹⁸, S. Ganguly¹⁵², J. Gao^{62a}, Y. Gao⁵², F.M. Garay Walls^{136a,136b}, B. Garcia^{29,ag}, C. García¹⁶², J.E. García Navarro¹⁶², J.A. García Pascual^{14a}, M. Garcia-Sciveres^{17a}, R.W. Gardner³⁹, D. Garg⁷⁹, R.B. Garg¹⁴², S. Gargiulo⁵⁴, C.A. Garner¹⁵⁴, V. Garonne²⁹, S.J. Gasiorowski¹³⁷, P. Gaspar^{81b}, G. Gaudio^{72a}, P. Gauzzi^{74a,74b}, I.L. Gavrilenko³⁷, A. Gavrilyuk³⁷, C. Gay¹⁶³, G. Gaycken⁴⁸, E.N. Gazis¹⁰,

A.A. Geanta^{27b}, C.M. Gee¹³⁵, J. Geisen⁹⁷, M. Geisen⁹⁹, C. Gemme^{57b}, M.H. Genest⁶⁰, S. Gentile^{74a,74b}, S. George⁹⁴, W.F. George²⁰, T. Geralis⁴⁶, L.O. Gerlach⁵⁵, P. Gessinger-Befurt³⁶, M. Ghasemi Bostanabad¹⁶⁴, M. Ghneimat¹⁴⁰, A. Ghosal¹⁴⁰, A. Ghosh¹⁵⁹, A. Ghosh⁷, B. Giacobbe^{23b}, S. Giagu^{74a,74b}, N. Giangiacomi¹⁵⁴, P. Giannetti^{73a}, A. Giannini^{62a}, S.M. Gibson⁹⁴, M. Gignac¹³⁵, D.T. Gil^{84b}, A.K. Gilbert^{84a}, B.J. Gilbert⁴¹, D. Gillberg³⁴, G. Gilles¹¹³, N.E.K. Gillwald⁴⁸, L. Ginabat¹²⁶, D.M. Gingrich^{2,ad}, M.P. Giordani^{68a,68c}, P.F. Giraud¹³⁴, G. Giugliarelli^{68a,68c}, D. Giugni^{70a}, F. Giuli²⁶, I. Gkialas^{9,i}, L.K. Gladilin³⁷, C. Glasman⁹⁸, G.R. Gledhill¹²², M. Glisic¹²², I. Gnesi^{43b,e}, Y. Go^{29,ag}, M. Goblirsch-Kolb²⁶, B. Gocke⁴⁹, D. Godin¹⁰⁷, S. Goldfarb¹⁰⁴, T. Golling⁵⁶, M.G.D. Gololo^{33g}, D. Golubkov³⁷, J.P. Gombas¹⁰⁶, A. Gomes^{129a,129b}, A.J. Gomez Delegido¹⁶², R. Goncalves Gama⁵⁵, R. Gonçalo^{129a,129c}, G. Gonella¹²², L. Gonella²⁰, A. Gongadze³⁸, F. Gonnella²⁰, J.L. Gonski⁴¹, R.Y. González Andana⁵², S. González de la Hoz¹⁶², S. Gonzalez Fernandez¹³, R. Gonzalez Lopez⁹¹, C. Gonzalez Renteria^{17a}, R. Gonzalez Suarez¹⁶⁰, S. Gonzalez-Sevilla⁵⁶, G.R. Gonzalvo Rodriguez¹⁶², L. Goossens³⁶, N.A. Gorasia²⁰, P.A. Gorbounov³⁷, B. Gorini³⁶, E. Gorini^{69a,69b}, A. Gorišek⁹², A.T. Goshaw⁵¹, M.I. Gostkin³⁸, C.A. Gottardo¹¹², M. Gouighri^{35b}, V. Goumarre⁴⁸, A.G. Goussiou¹³⁷, N. Govender^{33c}, C. Goy⁴, I. Grabowska-Bold^{84a}, K. Graham³⁴, E. Gramstad¹²⁴, S. Grancagnolo¹⁸, M. Grandi¹⁴⁵, V. Gratchev^{37,*}, P.M. Gravila^{27f}, F.G. Gravili^{69a,69b}, H.M. Gray^{17a}, M. Greco^{69a,69b}, C. Grefe²⁴, I.M. Gregor⁴⁸, P. Grenier¹⁴², C. Grieco¹³, A.A. Grillo¹³⁵, K. Grimm^{31,m}, S. Grinstein^{13,t}, J.-F. Grivaz⁶⁶, E. Gross¹⁶⁸, J. Grosse-Knetter⁵⁵, C. Grud¹⁰⁵, A. Grummer¹¹¹, J.C. Grundy¹²⁵, L. Guan¹⁰⁵, W. Guan¹⁶⁹, C. Gubbels¹⁶³, J.G.R. Guerrero Rojas¹⁶², G. Guerrieri^{68a,68c}, F. Guescini¹⁰⁹, R. Gugel⁹⁹, J.A.M. Guhit¹⁰⁵, A. Guida⁴⁸, T. Guillemin⁴, E. Guillon^{166,133}, S. Guindon³⁶, F. Guo^{14a,14d}, J. Guo^{62c}, L. Guo⁶⁶, Y. Guo¹⁰⁵, R. Gupta⁴⁸, S. Gurbuz²⁴, G. Gustavino³⁶, M. Guth⁵⁶, P. Gutierrez¹¹⁹, L.F. Gutierrez Zagazeta¹²⁷, C. Gutsche⁹⁵, C. Guyot¹³⁴, C. Gwenlan¹²⁵, C.B. Gwilliam⁹¹, E.S. Haaland¹²⁴, A. Haas¹¹⁶, M. Habedank⁴⁸, C. Haber^{17a}, H.K. Hadavand⁸, A. Hadeef⁹⁹, S. Hadzic¹⁰⁹, M. Haleem¹⁶⁵, J. Haley¹²⁰, J.J. Hall¹³⁸, G.D. Hallewell¹⁰¹, L. Halser¹⁹, K. Hamano¹⁶⁴, H. Hamdaoui^{35e}, M. Hamer²⁴, G.N. Hamity⁵², J. Han^{62b}, K. Han^{62a}, L. Han^{14c}, L. Han^{62a}, S. Han^{17a}, Y.F. Han¹⁵⁴, K. Hanagaki⁸², M. Hance¹³⁵, D.A. Hangal^{41,y}, M.D. Hank³⁹, R. Hankache¹⁰⁰, J.B. Hansen⁴², J.D. Hansen⁴², P.H. Hansen⁴², K. Hara¹⁵⁶, D. Harada⁵⁶, T. Harenberg¹⁷⁰, S. Harkusha³⁷, Y.T. Harris¹²⁵, P.F. Harrison¹⁶⁶, N.M. Hartman¹⁴², N.M. Hartmann¹⁰⁸, Y. Hasegawa¹³⁹, A. Hasib⁵², S. Haug¹⁹, R. Hauser¹⁰⁶, M. Havranek¹³¹, C.M. Hawkes²⁰, R.J. Hawkins³⁶, S. Hayashida¹¹⁰, D. Hayden¹⁰⁶, C. Hayes¹⁰⁵, R.L. Hayes¹⁶³, C.P. Hays¹²⁵, J.M. Hays⁹³, H.S. Hayward⁹¹, F. He^{62a}, Y. He¹⁵³, Y. He¹²⁶, M.P. Heath⁵², V. Hedberg⁹⁷, A.L. Heggelund¹²⁴, N.D. Hehir⁹³, C. Heidegger⁵⁴, K.K. Heidegger⁵⁴, W.D. Heidorn⁸⁰, J. Heilman³⁴, S. Heim⁴⁸, T. Heim^{17a}, B. Heinemann^{48,aa}, J.G. Heinlein¹²⁷, J.J. Heinrich¹²², L. Heinrich³⁶, J. Hejbal¹³⁰, L. Helary⁴⁸, A. Held¹¹⁶, S. Hellesund¹²⁴, C.M. Helling¹⁶³, S. Hellman^{47a,47b}, C. Helsens³⁶, R.C.W. Henderson⁹⁰, L. Henkelmann³², A.M. Henriques Correia³⁶, H. Herde¹⁴², Y. Hernández Jiménez¹⁴⁴, H. Herr⁹⁹, M.G. Herrmann¹⁰⁸, T. Herrmann⁵⁰, G. Herten⁵⁴, R. Hertenberger¹⁰⁸, L. Hervas³⁶, N.P. Hessey^{155a}, H. Hibi⁸³, E. Higón-Rodríguez¹⁶², S.J. Hillier²⁰, I. Hinchliffe^{17a}, F. Hinterkeuser²⁴, M. Hirose¹²³, S. Hirose¹⁵⁶, D. Hirschebuehl¹⁷⁰, B. Hiti⁹², J. Hobbs¹⁴⁴, R. Hobincu^{27e}, N. Hod¹⁶⁸, M.C. Hodgkinson¹³⁸, B.H. Hodgkinson³², A. Hoecker³⁶, J. Hofer⁴⁸, D. Hohn⁵⁴, T. Holm²⁴, M. Holzbock¹⁰⁹, L.B.A.H. Hommels³², B.P. Honan¹⁰⁰, J. Hong^{62c}, T.M. Hong¹²⁸, Y. Hong⁵⁵, J.C. Honig⁵⁴, A. Hönle¹⁰⁹, B.H. Hooberman¹⁶¹, W.H. Hopkins⁶, Y. Horii¹¹⁰, S. Hou¹⁴⁷, J. Howarth⁵⁹, J. Hoya⁸⁹, M. Hrabovsky¹²¹, A. Hrynevich³⁷, T. Hryn'ova⁴, P.J. Hsu⁶⁵, S.-C. Hsu¹³⁷, Q. Hu^{41,y}, Y.F. Hu^{14a,14d,af}, D.P. Huang⁹⁵, S. Huang^{64b}, X. Huang^{14c}, Y. Huang^{62a}, Y. Huang^{14a}, Z. Huang¹⁰⁰, Z. Hubacek¹³¹, M. Huebner²⁴, F. Huegging²⁴, T.B. Huffman¹²⁵, M. Huhtinen³⁶, S.K. Huiberts¹⁶, R. Hulskén¹⁰³, N. Huseynov^{12,a}, J. Huston¹⁰⁶, J. Huth⁶¹, R. Hyneman¹⁴², S. Hyrych^{28a}, G. Iacobucci⁵⁶, G. Iakovidis²⁹, I. Ibragimov¹⁴⁰, L. Iconomidou-Fayard⁶⁶, P. Iengo^{71a,71b}, R. Iguchi¹⁵², T. Iizawa⁵⁶, Y. Ikegami⁸², A. Ilg¹⁹, N. Ilic¹⁵⁴, H. Imam^{35a}, T. Ingebretsen Carlson^{47a,47b}, G. Introzzi^{72a,72b}, M. Iodice^{76a}, V. Ippolito^{74a,74b}, M. Ishino¹⁵², W. Islam¹⁶⁹, C. Issever^{18,48}, S. Istin^{21a,ah}, H. Ito¹⁶⁷, J.M. Iturbe Ponce^{64a}, R. Iuppa^{77a,77b}, A. Ivina¹⁶⁸, J.M. Izen⁴⁵, V. Izzo^{71a}, P. Jacka^{130,131}, P. Jackson¹, R.M. Jacobs⁴⁸, B.P. Jaeger¹⁴¹, C.S. Jagfeld¹⁰⁸, G. Jäkel¹⁷⁰, K. Jakobs⁵⁴, T. Jakoubek¹⁶⁸, J. Jamieson⁵⁹, K.W. Janas^{84a}, G. Jarlskog⁹⁷, A.E. Jaspan⁹¹, T. Javůrek³⁶, M. Javurkova¹⁰², F. Jeanneau¹³⁴, L. Jeanty¹²², J. Jejelava^{148a,x}, P. Jenni^{54,f}, C.E. Jessiman³⁴, S. Jézéquel⁴, J. Jia¹⁴⁴, X. Jia⁶¹, X. Jia^{14a,14d}, Z. Jia^{14c}, Y. Jiang^{62a}, S. Jiggins⁵², J. Jimenez Pena¹⁰⁹, S. Jin^{14c}, A. Jinaru^{27b}, O. Jinnouchi¹⁵³, H. Jivan^{33g}, P. Johansson¹³⁸, K.A. Johns⁷, C.A. Johnson⁶⁷, D.M. Jones³², E. Jones¹⁶⁶, R.W.L. Jones⁹⁰, T.J. Jones⁹¹,

J. Jovicevic¹⁵, X. Ju^{17a}, J.J. Junggeburth³⁶, A. Juste Rozas^{13,t}, S. Kabana^{136e}, A. Kaczmarska⁸⁵, M. Kado^{74a,74b}, H. Kagan¹¹⁸, M. Kagan¹⁴², A. Kahn⁴¹, A. Kahn¹²⁷, C. Kahra⁹⁹, T. Kaji¹⁶⁷, E. Kajomovitz¹⁴⁹, N. Kakati¹⁶⁸, C.W. Kalderon²⁹, A. Kamenshchikov¹⁵⁴, N.J. Kang¹³⁵, Y. Kano¹¹⁰, D. Kar^{33g}, K. Karava¹²⁵, M.J. Kareem^{155b}, E. Karentzos⁵⁴, I. Karkanias¹⁵¹, S.N. Karpov³⁸, Z.M. Karpova³⁸, V. Kartvelishvili⁹⁰, A.N. Karyukhin³⁷, E. Kasimi¹⁵¹, C. Kato^{62d}, J. Katzy⁴⁸, S. Kaur³⁴, K. Kawade¹³⁹, K. Kawagoe⁸⁸, T. Kawaguchi¹¹⁰, T. Kawamoto¹³⁴, G. Kawamura⁵⁵, E.F. Kay¹⁶⁴, F.I. Kaya¹⁵⁷, S. Kazakos¹³, V.F. Kazanin³⁷, Y. Ke¹⁴⁴, J.M. Keaveney^{33a}, R. Keeler¹⁶⁴, G.V. Kehris⁶¹, J.S. Keller³⁴, A.S. Kelly⁹⁵, D. Kelsey¹⁴⁵, J.J. Kempster²⁰, J. Kendrick²⁰, K.E. Kennedy⁴¹, O. Kepka¹³⁰, B.P. Kerridge¹⁶⁶, S. Kersten¹⁷⁰, B.P. Kerševan⁹², L. Keszeghova^{28a}, S. Ketabchi Haghighat¹⁵⁴, M. Khandoga¹²⁶, A. Khanov¹²⁰, A.G. Kharlamov³⁷, T. Kharlamova³⁷, E.E. Khoda¹³⁷, T.J. Khoo¹⁸, G. Khorauli¹⁶⁵, J. Khubua^{148b}, Y.A.R. Khwaira⁶⁶, M. Kiehn³⁶, A. Kilgallon¹²², E. Kim¹⁵³, Y.K. Kim³⁹, N. Kimura⁹⁵, A. Kirchhoff⁵⁵, D. Kirchmeier⁵⁰, C. Kirfel²⁴, J. Kirk¹³³, A.E. Kiryunin¹⁰⁹, T. Kishimoto¹⁵², D.P. Kisliuk¹⁵⁴, C. Kitsaki¹⁰, O. Kivernyk²⁴, M. Klassen^{63a}, C. Klein³⁴, L. Klein¹⁶⁵, M.H. Klein¹⁰⁵, M. Klein⁹¹, U. Klein⁹¹, P. Klimek³⁶, A. Klimentov²⁹, F. Klimpel¹⁰⁹, T. Klingl²⁴, T. Klioutchnikova³⁶, F.F. Klitzner¹⁰⁸, P. Kluit¹¹³, S. Kluth¹⁰⁹, E. Kneringer⁷⁸, T.M. Knight¹⁵⁴, A. Knue⁵⁴, D. Kobayashi⁸⁸, R. Kobayashi⁸⁶, M. Kocian¹⁴², T. Kodama¹⁵², P. Kodyš¹³², D.M. Koeck¹⁴⁵, P.T. Koenig²⁴, T. Koffas³⁴, N.M. Köhler³⁶, M. Kolb¹³⁴, I. Koletsou⁴, T. Komarek¹²¹, K. Köneke⁵⁴, A.X.Y. Kong¹, T. Kono¹¹⁷, N. Konstantinidis⁹⁵, B. Konya⁹⁷, R. Kopeliansky⁶⁷, S. Koperny^{84a}, K. Korcyl⁸⁵, K. Kordas¹⁵¹, G. Koren¹⁵⁰, A. Korn⁹⁵, S. Korn⁵⁵, I. Korolkov¹³, N. Korotkova³⁷, B. Kortman¹¹³, O. Kortner¹⁰⁹, S. Kortner¹⁰⁹, W.H. KostECKa¹¹⁴, V.V. Kostyukhin^{140,37}, A. Kotsokechagia⁶⁶, A. Kotwal⁵¹, A. Koulouris³⁶, A. Kourkoumeli-Charalampidi^{72a,72b}, C. Kourkoumelis⁹, E. Kourlitis⁶, O. Kovanda¹⁴⁵, R. Kowalewski¹⁶⁴, W. Kozanecki¹³⁴, A.S. Kozhin³⁷, V.A. Kramarenko³⁷, G. Kramberger⁹², P. Kramer⁹⁹, M.W. Krasny¹²⁶, A. Krasznahorkay³⁶, J.A. Kremer⁹⁹, J. Kretschmar⁹¹, K. Kreul¹⁸, P. Krieger¹⁵⁴, F. Krieter¹⁰⁸, S. Krishnamurthy¹⁰², A. Krishnan^{63b}, M. Krivos¹³², K. Krizka^{17a}, K. Kroeninger⁴⁹, H. Kroha¹⁰⁹, J. Kroll¹³⁰, J. Kroll¹²⁷, K.S. Krowpman¹⁰⁶, U. Kruchonak³⁸, H. Krüger²⁴, N. Krumnack⁸⁰, M.C. Kruse⁵¹, J.A. Krzysiak⁸⁵, A. Kubota¹⁵³, O. Kuchinskaia³⁷, S. Kuday^{3a}, D. Kuechler⁴⁸, J.T. Kuechler⁴⁸, S. Kuehn³⁶, T. Kuhl⁴⁸, V. Kukhtin³⁸, Y. Kulchitsky^{37,a}, S. Kuleshov^{136d,136b}, M. Kumar^{33g}, N. Kumari¹⁰¹, M. Kuna⁶⁰, A. Kupco¹³⁰, T. Kupfer⁴⁹, A. Kupich³⁷, O. Kuprash⁵⁴, H. Kurashige⁸³, L.L. Kurchaninov^{155a}, Y.A. Kurochkin³⁷, A. Kurova³⁷, E.S. Kuwertz³⁶, M. Kuze¹⁵³, A.K. Kvam¹³⁷, J. Kvita¹²¹, T. Kwan¹⁰³, K.W. Kwok^{64a}, C. Lacasta¹⁶², F. Lacava^{74a,74b}, H. Lacker¹⁸, D. Lacour¹²⁶, N.N. Lad⁹⁵, E. Ladygin³⁸, B. Laforge¹²⁶, T. Lagouri^{136e}, S. Lai⁵⁵, I.K. Lakomic^{84a}, N. Lalloue⁶⁰, J.E. Lambert¹¹⁹, S. Lammers⁶⁷, W. Lampl⁷, C. Lampoudis¹⁵¹, A.N. Lancaster¹¹⁴, E. Lançon²⁹, U. Landgraf⁵⁴, M.P.J. Landon⁹³, V.S. Lang⁵⁴, R.J. Langenberg¹⁰², A.J. Lankford¹⁵⁹, F. Lanni²⁹, K. Lantzsch²⁴, A. Lanza^{72a}, A. Lapertosa^{57b,57a}, J.F. Laporte¹³⁴, T. Lari^{70a}, F. Lasagni Manghi^{23b}, M. Lassnig³⁶, V. Latonova¹³⁰, T.S. Lau^{64a}, A. Laudrain⁹⁹, A. Laurier³⁴, S.D. Lawlor⁹⁴, Z. Lawrence¹⁰⁰, M. Lazzaroni^{70a,70b}, B. Le¹⁰⁰, B. Leban⁹², A. Lebedev⁸⁰, M. LeBlanc³⁶, T. LeCompte⁶, F. Ledroit-Guillon⁶⁰, A.C.A. Lee⁹⁵, G.R. Lee¹⁶, L. Lee⁶¹, S.C. Lee¹⁴⁷, S. Lee^{47a,47b}, L.L. Leeuw^{33c}, B. Lefebvre^{155a}, H.P. Lefebvre⁹⁴, M. Lefebvre¹⁶⁴, C. Leggett^{17a}, K. Lehmann¹⁴¹, G. Lehmann Miotto³⁶, W.A. Leight¹⁰², A. Leisos^{151,s}, M.A.L. Leite^{81c}, C.E. Leitgeb⁴⁸, R. Leitner¹³², K.J.C. Leney⁴⁴, T. Lenz²⁴, S. Leone^{73a}, C. Leonidopoulos⁵², A. Leopold¹⁴³, C. Leroy¹⁰⁷, R. Les¹⁰⁶, C.G. Lester³², M. Levchenko³⁷, J. Levêque⁴, D. Levin¹⁰⁵, L.J. Levinson¹⁶⁸, D.J. Lewis²⁰, B. Li^{14b}, B. Li^{62b}, C. Li^{62a}, C-Q. Li^{62c,62d}, H. Li^{62a}, H. Li^{62b}, H. Li^{14c}, H. Li^{62b}, J. Li^{62c}, K. Li¹³⁷, L. Li^{62c}, M. Li^{14a,14d}, Q.Y. Li^{62a}, S. Li^{62d,62c,d}, T. Li^{62b}, X. Li¹⁰³, Z. Li^{62b}, Z. Li¹²⁵, Z. Li¹⁰³, Z. Li⁹¹, Z. Liang^{14a}, M. Liberatore⁴⁸, B. Liberti^{75a}, K. Lie^{64c}, J. Lieber Marin^{81b}, K. Lin¹⁰⁶, R.A. Linck⁶⁷, R.E. Lindley⁷, J.H. Lindon², A. Linss⁴⁸, E. Lipeles¹²⁷, A. Lipniacka¹⁶, T.M. Liss^{161,ab}, A. Lister¹⁶³, J.D. Little⁴, B. Liu^{14a}, B.X. Liu¹⁴¹, D. Liu^{62d,62c}, J.B. Liu^{62a}, J.K.K. Liu³², K. Liu^{62d,62c}, M. Liu^{62a}, M.Y. Liu^{62a}, P. Liu^{14a}, Q. Liu^{62d,137,62c}, X. Liu^{62a}, Y. Liu⁴⁸, Y. Liu^{14c,14d}, Y.L. Liu¹⁰⁵, Y.W. Liu^{62a}, M. Livan^{72a,72b}, J. Llorente Merino¹⁴¹, S.L. Lloyd⁹³, E.M. Lobodzinska⁴⁸, P. Loch⁷, S. Loffredo^{75a,75b}, T. Lohse¹⁸, K. Lohwasser¹³⁸, M. Lokajicek¹³⁰, J.D. Long¹⁶¹, I. Longarini^{74a,74b}, L. Longo^{69a,69b}, R. Longo¹⁶¹, I. Lopez Paz³⁶, A. Lopez Solis⁴⁸, J. Lorenz¹⁰⁸, N. Lorenzo Martinez⁴, A.M. Lory¹⁰⁸, A. Lösle⁵⁴, X. Lou^{47a,47b}, X. Lou^{14a,14d}, A. Lounis⁶⁶, J. Love⁶, P.A. Love⁹⁰, J.J. Lozano Bahilo¹⁶², G. Lu^{14a,14d}, M. Lu⁷⁹, S. Lu¹²⁷, Y.J. Lu⁶⁵, H.J. Lubatti¹³⁷, C. Luci^{74a,74b}, F.L. Lucio Alves^{14c}, A. Lucotte⁶⁰, F. Luehring⁶⁷, I. Luise¹⁴⁴, O. Lukianchuk⁶⁶, O. Lundberg¹⁴³, B. Lund-Jensen¹⁴³, N.A. Luongo¹²², M.S. Lutz¹⁵⁰, D. Lynn²⁹, H. Lyons⁹¹, R. Lysak¹³⁰, E. Lytken⁹⁷, F. Lyu^{14a}, V. Lyubushkin³⁸,

T. Lyubushkina³⁸, H. Ma²⁹, L.L. Ma^{62b}, Y. Ma⁹⁵, D.M. Mac Donell¹⁶⁴, G. Maccarrone⁵³, J.C. MacDonald¹³⁸, R. Madar⁴⁰, W.F. Mader⁵⁰, J. Maeda⁸³, T. Maeno²⁹, M. Maerker⁵⁰, V. Magerl⁵⁴, J. Magro^{68a,68c}, D.J. Mahon⁴¹, C. Maidantchik^{81b}, A. Maio^{129a,129b,129d}, K. Maj^{84a}, O. Majersky^{28a}, S. Majewski¹²², N. Makovec⁶⁶, V. Maksimovic¹⁵, B. Malaescu¹²⁶, Pa. Malecki⁸⁵, V.P. Maleev³⁷, F. Malek⁶⁰, D. Malito^{43b,43a}, U. Mallik⁷⁹, C. Malone³², S. Maltezos¹⁰, S. Malyukov³⁸, J. Mamuzic¹¹⁹, G. Mancini⁵³, J.P. Mandalia⁹³, I. Mandić⁹², L. Manhaes de Andrade Filho^{81a}, I.M. Maniatis¹⁵¹, M. Manisha¹³⁴, J. Manjarres Ramos⁵⁰, D.C. Mankad¹⁶⁸, K.H. Mankinen⁹⁷, A. Mann¹⁰⁸, A. Manousos⁷⁸, B. Mansoulie¹³⁴, S. Manzoni³⁶, A. Marantis¹⁵¹, G. Marchiori⁵, M. Marcisovsky¹³⁰, L. Marcocchia^{75a,75b}, C. Marcon⁹⁷, M. Marinescu²⁰, M. Marjanovic¹¹⁹, Z. Marshall^{17a}, S. Marti-Garcia¹⁶², T.A. Martin¹⁶⁶, V.J. Martin⁵², B. Martin dit Latour¹⁶, L. Martinelli^{74a,74b}, M. Martinez^{13,t}, P. Martinez Agullo¹⁶², V.I. Martinez Outschoorn¹⁰², P. Martinez Suarez¹³, S. Martin-Haugh¹³³, V.S. Martoiu^{27b}, A.C. Martyniuk⁹⁵, A. Marzin³⁶, S.R. Maschek¹⁰⁹, L. Masetti⁹⁹, T. Mashimo¹⁵², J. Masik¹⁰⁰, A.L. Maslennikov³⁷, L. Massa^{23b}, P. Massarotti^{71a,71b}, P. Mastrandrea^{73a,73b}, A. Mastroberardino^{43b,43a}, T. Masubuchi¹⁵², T. Mathisen¹⁶⁰, A. Matic¹⁰⁸, N. Matsuzawa¹⁵², J. Maurer^{27b}, F.A. Mausolf⁴⁹, B. Maček⁹², D.A. Maximov³⁷, R. Mazini¹⁴⁷, I. Maznas¹⁵¹, M. Mazza¹⁰⁶, S.M. Mazza¹³⁵, C. Mc Ginn^{29,ag}, J.P. Mc Gowan¹⁰³, S.P. Mc Kee¹⁰⁵, T.G. McCarthy¹⁰⁹, W.P. McCormack^{17a}, E.F. McDonald¹⁰⁴, A.E. McDougall¹¹³, J.A. Mcfayden¹⁴⁵, G. Mchedlidze^{148b}, R.P. Mckenzie^{33g}, D.J. McLaughlin⁹⁵, K.D. McLean¹⁶⁴, S.J. McMahon¹³³, P.C. McNamara¹⁰⁴, R.A. McPherson^{164,v}, J.E. Mdhluli^{33g}, S. Meehan³⁶, T. Megy⁴⁰, S. Mehlhase¹⁰⁸, A. Mehta⁹¹, B. Meirose⁴⁵, D. Melini¹⁴⁹, B.R. Mellado Garcia^{33g}, A.H. Melo⁵⁵, F. Meloni⁴⁸, E.D. Mendes Gouveia^{129a}, A.M. Mendes Jacques Da Costa²⁰, H.Y. Meng¹⁵⁴, L. Meng⁹⁰, S. Menke¹⁰⁹, M. Mentink³⁶, E. Meoni^{43b,43a}, C. Merlassino¹²⁵, L. Merola^{71a,71b}, C. Meroni^{70a}, G. Merz¹⁰⁵, O. Meshkov³⁷, J.K.R. Meshreki¹⁴⁰, J. Metcalfe⁶, A.S. Mete⁶, C. Meyer⁶⁷, J-P. Meyer¹³⁴, M. Michetti¹⁸, R.P. Middleton¹³³, L. Mijović⁵², G. Mikenberg¹⁶⁸, M. Mikestikova¹³⁰, M. Mikuž⁹², H. Mildner¹³⁸, A. Milic¹⁵⁴, C.D. Milke⁴⁴, D.W. Miller³⁹, L.S. Miller³⁴, A. Milov¹⁶⁸, D.A. Milstead^{47a,47b}, T. Min^{14c}, A.A. Minaenko³⁷, I.A. Minashvili^{148b}, L. Mince⁵⁹, A.I. Mincer¹¹⁶, B. Mindur^{84a}, M. Mineev³⁸, Y. Minegishi¹⁵², Y. Mino⁸⁶, L.M. Mir¹³, M. Miralles Lopez¹⁶², M. Mironova¹²⁵, T. Mitani¹⁶⁷, A. Mitra¹⁶⁶, V.A. Mitsou¹⁶², O. Miu¹⁵⁴, P.S. Miyagawa⁹³, Y. Miyazaki⁸⁸, A. Mizukami⁸², J.U. Mjörnmark⁹⁷, T. Mkrtchyan^{63a}, M. Mlynarikova¹¹⁴, T. Moa^{47a,47b}, S. Mobius⁵⁵, K. Mochizuki¹⁰⁷, P. Moder⁴⁸, P. Mogg¹⁰⁸, A.F. Mohammed^{14a,14d}, S. Mohapatra⁴¹, G. Mokgatitswane^{33g}, B. Mondal¹⁴⁰, S. Mondal¹³¹, K. Mönig⁴⁸, E. Monnier¹⁰¹, L. Monsonis Romero¹⁶², J. Montejo Berlingen³⁶, M. Montella¹¹⁸, F. Monticelli⁸⁹, N. Morange⁶⁶, A.L. Moreira De Carvalho^{129a}, M. Moreno Llácer¹⁶², C. Moreno Martinez¹³, P. Morettini^{57b}, S. Morgenstern¹⁶⁶, M. Morii⁶¹, M. Morinaga¹⁵², V. Morisbak¹²⁴, A.K. Morley³⁶, F. Morodei^{74a,74b}, L. Morvaj³⁶, P. Moschovakos³⁶, B. Moser¹¹³, M. Mosidze^{148b}, T. Moskalets⁵⁴, P. Moskvitina¹¹², J. Moss^{31,n}, E.J.W. Moyse¹⁰², S. Muanza¹⁰¹, J. Mueller¹²⁸, D. Muenstermann⁹⁰, R. Müller¹⁹, G.A. Mullier⁹⁷, J.J. Mullin¹²⁷, D.P. Mungo^{70a,70b}, J.L. Munoz Martinez¹³, F.J. Munoz Sanchez¹⁰⁰, M. Murin¹⁰⁰, W.J. Murray^{166,133}, A. Murrone^{70a,70b}, J.M. Muse¹¹⁹, M. Muškinja^{17a}, C. Mwewa²⁹, A.G. Myagkov^{37,a}, A.J. Myers⁸, A.A. Myers¹²⁸, G. Myers⁶⁷, M. Myska¹³¹, B.P. Nachman^{17a}, O. Nackenhorst⁴⁹, A. Nag⁵⁰, K. Nagai¹²⁵, K. Nagano⁸², J.L. Nagle^{29,ag}, E. Nagy¹⁰¹, A.M. Nairz³⁶, Y. Nakahama⁸², K. Nakamura⁸², H. Nanjo¹²³, R. Narayan⁴⁴, E.A. Narayanan¹¹¹, I. Naryshkin³⁷, M. Naseri³⁴, C. Nass²⁴, G. Navarro^{22a}, J. Navarro-Gonzalez¹⁶², R. Nayak¹⁵⁰, P.Y. Nechaeva³⁷, F. Nechansky⁴⁸, T.J. Neep²⁰, A. Negri^{72a,72b}, M. Negrini^{23b}, C. Nellist¹¹², C. Nelson¹⁰³, K. Nelson¹⁰⁵, S. Nemecek¹³⁰, M. Nessi^{36,g}, M.S. Neubauer¹⁶¹, F. Neuhaus⁹⁹, J. Neundorff⁴⁸, R. Newhouse¹⁶³, P.R. Newman²⁰, C.W. Ng¹²⁸, Y.S. Ng¹⁸, Y.W.Y. Ng¹⁵⁹, B. Ngair^{35e}, H.D.N. Nguyen¹⁰⁷, R.B. Nickerson¹²⁵, R. Nicolaidou¹³⁴, J. Nielsen¹³⁵, M. Niemeyer⁵⁵, N. Nikiforou³⁶, V. Nikolaenko^{37,a}, I. Nikolic-Audit¹²⁶, K. Nikolopoulos²⁰, P. Nilsson²⁹, H.R. Nindhito⁵⁶, A. Nisati^{74a}, N. Nishu², R. Nisius¹⁰⁹, J-E. Nitschke⁵⁰, E.K. Nkadimeng^{33g}, S.J. Noacco Rosende⁸⁹, T. Nobe¹⁵², D.L. Noel³², Y. Noguchi⁸⁶, M.A. Nomura²⁹, M.B. Norfolk¹³⁸, R.R.B. Norisam⁹⁵, B.J. Norman³⁴, J. Novak⁹², T. Novak⁴⁸, O. Novgorodova⁵⁰, L. Novotny¹³¹, R. Novotny¹¹¹, L. Nozka¹²¹, K. Ntekas¹⁵⁹, E. Nurse⁹⁵, F.G. Oakham^{34,ad}, J. Ocariz¹²⁶, A. Ochi⁸³, I. Ochoa^{129a}, S. Oda⁸⁸, S. Oerdek¹⁶⁰, A. Ogrodnik^{84a}, A. Oh¹⁰⁰, C.C. Ohm¹⁴³, H. Oide¹⁵³, R. Oishi¹⁵², M.L. Ojeda⁴⁸, Y. Okazaki⁸⁶, M.W. O’Keefe⁹¹, Y. Okumura¹⁵², A. Olariu^{27b}, L.F. Oleiro Seabra^{129a}, S.A. Olivares Pino^{136e}, D. Oliveira Damazio²⁹, D. Oliveira Goncalves^{81a}, J.L. Oliver¹⁵⁹, M.J.R. Olsson¹⁵⁹, A. Olszewski⁸⁵, J. Olszowska^{85,*}, Ö.O. Öncel⁵⁴, D.C. O’Neil¹⁴¹, A.P. O’Neill¹⁹, A. Onofre^{129a,129e}, P.U.E. Onyisi¹¹, M.J. Oreglia³⁹, G.E. Orellana⁸⁹,

D. Orestano^{76a,76b}, N. Orlando¹³, R.S. Orr¹⁵⁴, V. O'Shea⁵⁹, R. Ospanov^{62a}, G. Otero y Garzon³⁰, H. Otono⁸⁸, P.S. Ott^{63a}, G.J. Ottino^{17a}, M. Ouchrif^{35d}, J. Ouellette^{29,ag}, F. Ould-Saada¹²⁴, M. Owen⁵⁹, R.E. Owen¹³³, K.Y. Oyulmaz^{21a}, V.E. Ozcan^{21a}, N. Ozturk⁸, S. Ozturk^{21d}, J. Pacalt¹²¹, H.A. Pacey³², K. Pachal⁵¹, A. Pacheco Pages¹³, C. Padilla Aranda¹³, G. Padovano^{74a,74b}, S. Pagan Griso^{17a}, G. Palacino⁶⁷, A. Palazzo^{69a,69b}, S. Palazzo⁵², S. Palestini³⁶, M. Palka^{84b}, J. Pan¹⁷¹, D.K. Panchal¹¹, C.E. Pandini¹¹³, J.G. Panduro Vazquez⁹⁴, P. Pani⁴⁸, G. Panizzo^{68a,68c}, L. Paolozzi⁵⁶, C. Papadatos¹⁰⁷, S. Parajuli⁴⁴, A. Paramonov⁶, C. Paraskevopoulos¹⁰, D. Paredes Hernandez^{64b}, T.H. Park¹⁵⁴, M.A. Parker³², F. Parodi^{57b,57a}, E.W. Parrish¹¹⁴, V.A. Parrish⁵², J.A. Parsons⁴¹, U. Parzefall⁵⁴, B. Pascual Dias¹⁰⁷, L. Pascual Dominguez¹⁵⁰, V.R. Pascuzzi^{17a}, F. Pasquali¹¹³, E. Pasqualucci^{74a}, S. Passaggio^{57b}, F. Pastore⁹⁴, P. Pasuwan^{47a,47b}, J.R. Pater¹⁰⁰, J. Patton⁹¹, T. Pauly³⁶, J. Pearkes¹⁴², M. Pedersen¹²⁴, R. Pedro^{129a}, S.V. Peleganchuk³⁷, O. Penc¹³⁰, C. Peng^{64b}, H. Peng^{62a}, M. Penzin³⁷, B.S. Peralva^{81a}, A.P. Pereira Peixoto⁶⁰, L. Pereira Sanchez^{47a,47b}, D.V. Perepelitsa^{29,ag}, E. Perez Codina^{155a}, M. Perganti¹⁰, L. Perini^{70a,70b,*}, H. Pernegger³⁶, S. Perrella³⁶, A. Perrevoort¹¹², O. Perrin⁴⁰, K. Peters⁴⁸, R.F.Y. Peters¹⁰⁰, B.A. Petersen³⁶, T.C. Petersen⁴², E. Petit¹⁰¹, V. Petousis¹³¹, C. Petridou¹⁵¹, A. Petrukhin¹⁴⁰, M. Pettee^{17a}, N.E. Pettersson³⁶, A. Petukhov³⁷, K. Petukhova¹³², A. Peyaud¹³⁴, R. Pezoa^{136f}, L. Pezzotti³⁶, G. Pezzullo¹⁷¹, T. Pham¹⁰⁴, P.W. Phillips¹³³, M.W. Phipps¹⁶¹, G. Piacquadio¹⁴⁴, E. Pianori^{17a}, F. Piazza^{70a,70b}, R. Piegai³⁰, D. Pietreanu^{27b}, A.D. Pilkington¹⁰⁰, M. Pinamonti^{68a,68c}, J.L. Pinfold², C. Pitman Donaldson⁹⁵, D.A. Pizzi³⁴, L. Pizzimento^{75a,75b}, A. Pizzini¹¹³, M.-A. Pleier²⁹, V. Plesanovs⁵⁴, V. Pleskot¹³², E. Plotnikova³⁸, G. Poddar⁴, R. Poettgen⁹⁷, R. Poggi⁵⁶, L. Poggioli¹²⁶, I. Pogrebnyak¹⁰⁶, D. Pohl²⁴, I. Pokharel⁵⁵, S. Polacek¹³², G. Polesello^{72a}, A. Poley^{141,155a}, R. Polifka¹³¹, A. Polini^{23b}, C.S. Pollard¹²⁵, Z.B. Pollock¹¹⁸, V. Polychronakos²⁹, D. Ponomarenko³⁷, L. Pontecorvo³⁶, S. Popa^{27a}, G.A. Popeneciu^{27d}, D.M. Portillo Quintero^{155a}, S. Pospisil¹³¹, P. Postolache^{27c}, K. Potamianos¹²⁵, I.N. Potrap³⁸, C.J. Potter³², H. Potti¹, T. Poulsen⁴⁸, J. Poveda¹⁶², G. Pownall⁴⁸, M.E. Pozo Astigarraga³⁶, A. Prades Ibanez¹⁶², M.M. Prapa⁴⁶, J. Pretel⁵⁴, D. Price¹⁰⁰, M. Primavera^{69a}, M.A. Principe Martin⁹⁸, M.L. Proffitt¹³⁷, N. Proklova³⁷, K. Prokofiev^{64c}, G. Proto^{75a,75b}, S. Protopopescu²⁹, J. Proudfoot⁶, M. Przybycien^{84a}, J.E. Puddefoot¹³⁸, D. Pudzha³⁷, P. Puzo⁶⁶, D. Pyatiizbyantseva³⁷, J. Qian¹⁰⁵, Y. Qin¹⁰⁰, T. Qiu⁹³, A. Quadt⁵⁵, M. Queitsch-Maitland²⁴, G. Rabanal Bolanos⁶¹, D. Rafanoharana⁵⁴, F. Ragusa^{70a,70b}, J.L. Rainbolt³⁹, J.A. Raine⁵⁶, S. Rajagopalan²⁹, E. Ramakoti³⁷, K. Ran^{14a,14d}, V. Raskina¹²⁶, D.F. Rassloff^{63a}, S. Rave⁹⁹, B. Ravina⁵⁹, I. Ravinovich¹⁶⁸, M. Raymond³⁶, A.L. Read¹²⁴, N.P. Readioff¹³⁸, D.M. Rebuzzi^{72a,72b}, G. Redlinger²⁹, K. Reeves⁴⁵, J.A. Reidelsturz¹⁷⁰, D. Reikher¹⁵⁰, A. Reiss⁹⁹, A. Rej¹⁴⁰, C. Rembser³⁶, A. Renardi⁴⁸, M. Renda^{27b}, M.B. Rendel¹⁰⁹, A.G. Rennie⁵⁹, S. Resconi^{70a}, M. Ressegotti^{57b,57a}, E.D. Resseguie^{17a}, S. Rettie⁹⁵, B. Reynolds¹¹⁸, E. Reynolds^{17a}, M. Rezaei Estabragh¹⁷⁰, O.L. Rezanova³⁷, P. Reznicek¹³², E. Ricci^{77a,77b}, R. Richter¹⁰⁹, S. Richter^{47a,47b}, E. Richter-Was^{84b}, M. Ridel¹²⁶, P. Rieck¹¹⁶, P. Riedler³⁶, M. Rijssenbeek¹⁴⁴, A. Rimoldi^{72a,72b}, M. Rimoldi⁴⁸, L. Rinaldi^{23b,23a}, T.T. Rinn¹⁶¹, M.P. Rinnagel¹⁰⁸, G. Ripellino¹⁴³, I. Riu¹³, P. Rivadeneira⁴⁸, J.C. Rivera Vergara¹⁶⁴, F. Rizatdinova¹²⁰, E. Rizvi⁹³, C. Rizzi⁵⁶, B.A. Roberts¹⁶⁶, B.R. Roberts^{17a}, S.H. Robertson^{103,v}, M. Robin⁴⁸, D. Robinson³², C.M. Robles Gajardo^{136f}, M. Robles Manzano⁹⁹, A. Robson⁵⁹, A. Rocchi^{75a,75b}, C. Roda^{73a,73b}, S. Rodriguez Bosca^{63a}, Y. Rodriguez Garcia^{22a}, A. Rodriguez Rodriguez⁵⁴, A.M. Rodríguez Vera^{155b}, S. Roe³⁶, J.T. Roemer¹⁵⁹, A.R. Roepe-Gier¹¹⁹, J. Roggel¹⁷⁰, O. Röhne¹²⁴, R.A. Rojas¹⁶⁴, B. Roland⁵⁴, C.P.A. Roland⁶⁷, J. Roloff²⁹, A. Romaniouk³⁷, M. Romano^{23b}, A.C. Romero Hernandez¹⁶¹, N. Rompotis⁹¹, L. Roos¹²⁶, S. Rosati^{74a}, B.J. Rosser³⁹, E. Rossi⁴, E. Rossi^{71a,71b}, L.P. Rossi^{57b}, L. Rossini⁴⁸, R. Rosten¹¹⁸, M. Rotaru^{27b}, B. Rottler⁵⁴, D. Rousseau⁶⁶, D. Rousso³², G. Rovelli^{72a,72b}, A. Roy¹⁶¹, A. Rozanov¹⁰¹, Y. Rozen¹⁴⁹, X. Ruan^{33g}, A. Rubio Jimenez¹⁶², A.J. Ruby⁹¹, T.A. Ruggeri¹, F. Rühr⁵⁴, A. Ruiz-Martinez¹⁶², A. Rummler³⁶, Z. Rurikova⁵⁴, N.A. Rusakovich³⁸, H.L. Russell¹⁶⁴, J.P. Rutherford⁷, E.M. Rüttinger¹³⁸, K. Rybacki⁹⁰, M. Rybar¹³², E.B. Rye¹²⁴, A. Ryzhov³⁷, J.A. Sabater Iglesias⁵⁶, P. Sabatini¹⁶², L. Sabetta^{74a,74b}, H.F.-W. Sadrozinski¹³⁵, F. Safai Tehrani^{74a}, B. Safarzadeh Samani¹⁴⁵, M. Safdari¹⁴², S. Saha¹⁰³, M. Sahinsoy¹⁰⁹, M. Saimpert¹³⁴, M. Saito¹⁵², T. Saito¹⁵², D. Salamani³⁶, G. Salamanna^{76a,76b}, A. Salnikov¹⁴², J. Salt¹⁶², A. Salvador Salas¹³, D. Salvatore^{43b,43a}, F. Salvatore¹⁴⁵, A. Salzburger³⁶, D. Sammel⁵⁴, D. Sampsonidis¹⁵¹, D. Sampsonidou^{62d,62c}, J. Sánchez¹⁶², A. Sanchez Pineda⁴, V. Sanchez Sebastian¹⁶², H. Sandaker¹²⁴, C.O. Sander⁴⁸, J.A. Sandesara¹⁰², M. Sandhoff¹⁷⁰, C. Sandoval^{22b}, D.P.C. Sankey¹³³, A. Sansoni⁵³, C. Santoni⁴⁰, H. Santos^{129a,129b}, S.N. Santpur^{17a}, A. Santra¹⁶⁸, K.A. Saoucha¹³⁸, J.G. Saraiva^{129a,129d}, J. Sardain¹⁰¹, O. Sasaki⁸²,

K. Sato ¹⁵⁶, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{154,ad}, R. Sawada ¹⁵², C. Sawyer ¹³³,
 L. Sawyer ⁹⁶, I. Sayago Galvan ¹⁶², C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁵, J. Schaarschmidt ¹³⁷,
 P. Schacht ¹⁰⁹, D. Schaefer ³⁹, U. Schäfer ⁹⁹, A.C. Schaffer ⁶⁶, D. Schaile ¹⁰⁸, R.D. Schamberger ¹⁴⁴,
 E. Schanet ¹⁰⁸, C. Scharf ¹⁸, V.A. Schegelsky ³⁷, D. Scheirich ¹³², F. Schenck ¹⁸, M. Schernau ¹⁵⁹,
 C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, Z.M. Schillaci ²⁶, E.J. Schioppa ^{69a,69b}, M. Schioppa ^{43b,43a}, B. Schlag ⁹⁹,
 K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, K. Schmieden ⁹⁹, C. Schmitt ⁹⁹, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁴,
 A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁵, M. Schott ⁹⁹, J. Schovancova ³⁶, S. Schramm ⁵⁶,
 F. Schroeder ¹⁷⁰, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴, B.A. Schumm ¹³⁵, Ph. Schune ¹³⁴,
 A. Schwartzman ¹⁴², T.A. Schwarz ¹⁰⁵, Ph. Schwemling ¹³⁴, R. Schwienhorst ¹⁰⁶, A. Sciandra ¹³⁵,
 G. Sciolla ²⁶, F. Scuri ^{73a}, F. Scutti ¹⁰⁴, C.D. Sebastiani ⁹¹, K. Sedlaczek ⁴⁹, P. Seema ¹⁸, S.C. Seidel ¹¹¹,
 A. Seiden ¹³⁵, B.D. Seidlitz ⁴¹, T. Seiss ³⁹, C. Seitz ⁴⁸, J.M. Seixas ^{81b}, G. Sekhniaidze ^{71a}, S.J. Sekula ⁴⁴,
 L. Selem ⁴, N. Semprini-Cesari ^{23b,23a}, S. Sen ⁵¹, V. Senthilkumar ¹⁶², L. Serin ⁶⁶, L. Serkin ^{68a,68b},
 M. Sessa ^{76a,76b}, H. Severini ¹¹⁹, S. Sevova ¹⁴², F. Sforza ^{57b,57a}, A. Sfyrla ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴³,
 J.D. Shahinian ¹²⁷, N.W. Shaikh ^{47a,47b}, D. Shaked Renous ¹⁶⁸, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶,
 A.S. Sharma ¹⁶³, P. Sharma ⁷⁹, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁵, S.M. Shaw ¹⁰⁰, P. Sherwood ⁹⁵,
 L. Shi ⁹⁵, C.O. Shimmin ¹⁷¹, Y. Shimogama ¹⁶⁷, J.D. Shinner ⁹⁴, I.P.J. Shipsey ¹²⁵, S. Shirabe ⁶⁰,
 M. Shiyakova ³⁸, J. Shlomi ¹⁶⁸, M.J. Shochet ³⁹, J. Shojaii ¹⁰⁴, D.R. Shope ¹⁴³, S. Shrestha ¹¹⁸, E.M. Shrif ^{33g},
 M.J. Shroff ¹⁶⁴, P. Sicho ¹³⁰, A.M. Sickles ¹⁶¹, E. Sideras Haddad ^{33g}, O. Sidiropoulou ³⁶, A. Sidoti ^{23b},
 F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{84a}, F. Sili ⁸⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶, S.B. Silverstein ^{47a},
 S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, N.D. Simpson ⁹⁷, S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁴,
 V. Sinetckii ³⁷, S. Singh ¹⁴¹, S. Singh ¹⁵⁴, S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ¹²²,
 S.Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ⁹⁷, P. Skubic ¹¹⁹, M. Slawinska ⁸⁵,
 V. Smakhtin ¹⁶⁸, B.H. Smart ¹³³, J. Smiesko ¹³², S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a},
 O. Smirnova ⁹⁷, E.A. Smith ³⁹, H.A. Smith ¹²⁵, J.L. Smith ⁹¹, R. Smith ¹⁴², M. Smizanska ⁹⁰, K. Smolek ¹³¹,
 A. Smykiewicz ⁸⁵, A.A. Snesarev ³⁷, H.L. Snoek ¹¹³, S. Snyder ²⁹, R. Sobie ^{164,v}, A. Soffer ¹⁵⁰,
 C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶², A.A. Solodkov ³⁷, S. Solomon ⁵⁴,
 A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷, V. Solovyev ³⁷, P. Sommer ¹³⁸, A. Sonay ¹³,
 W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sapiro ⁹⁵, F. Sopkova ^{28b}, V. Sothilingam ^{63a}, S. Sottocornola ^{72a,72b},
 R. Soualah ^{115b}, Z. Soumami ^{35e}, D. South ⁴⁸, S. Spagnolo ^{69a,69b}, M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴,
 G. Spigo ³⁶, M. Spina ¹⁴⁵, S. Spinali ⁹⁰, D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b},
 R. Stamen ^{63a}, M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵, B. Stanislaus ^{17a},
 M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁵, J. Stark ¹⁰¹,
 D.M. Starke ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³, R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶,
 J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²², B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a},
 H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵, G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoica ^{27b}, M. Stolarski ^{129a},
 S. Stonjek ¹⁰⁹, A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Strebler ¹⁰¹,
 P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b},
 S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴², S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66},
 K. Sugizaki ¹⁵², V.V. Sulin ³⁷, M.J. Sullivan ⁹¹, D.M.S. Sultan ^{77a,77b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b},
 T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹, O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰,
 M. Swiatlowski ^{155a}, T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,u},
 A. Taffard ¹⁵⁹, R. Tafirout ^{155a}, J.S. Tafaya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷, K. Takeda ⁸³,
 E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵²,
 J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c}, Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹,
 A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹, K. Tariq ^{62b}, G. Tarna ^{27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³²,
 M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b},
 H. Teagle ⁹¹, A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵², J. Terron ⁹⁸,
 S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,v}, N. Themistokleous ⁵², T. Theveneaux-Pelzer ¹⁸,
 O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰, E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷,
 E.J. Thorpe ⁹³, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹,
 P. Tipton ¹⁷¹, S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tmourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³²,
 S. Todt ⁵⁰, M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110},
 L. Tompkins ¹⁴², P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰, E. Torró Pastor ¹⁶², M. Toscani ³⁰,

C. Tosciri³⁹, D.R. Tovey¹³⁸, A. Traeet¹⁶, I.S. Trandafir^{27b}, T. Trefzger¹⁶⁵, A. Tricoli²⁹, I.M. Trigger^{155a}, S. Trincaz-Duvoid¹²⁶, D.A. Trischuk¹⁶³, B. Trocmé⁶⁰, A. Trofymov⁶⁶, C. Troncon^{70a}, L. Truong^{33c}, M. Trzebinski⁸⁵, A. Trzupek⁸⁵, F. Tsai¹⁴⁴, M. Tsai¹⁰⁵, A. Tsiamis¹⁵¹, P.V. Tsiareshka³⁷, A. Tsirigotis^{151,s}, V. Tsiskaridze¹⁴⁴, E.G. Tskhadadze^{148a}, M. Tsopoulou¹⁵¹, Y. Tsujikawa⁸⁶, I.I. Tsukerman³⁷, V. Tsulaia^{17a}, S. Tsuno⁸², O. Tsur¹⁴⁹, D. Tsybychev¹⁴⁴, Y. Tu^{64b}, A. Tudorache^{27b}, V. Tudorache^{27b}, A.N. Tuna³⁶, S. Turchikhin³⁸, I. Turk Cakir^{3a}, R. Turra^{70a}, P.M. Tuts⁴¹, S. Tzamarias¹⁵¹, P. Tzannis¹⁰, E. Tzovara⁹⁹, K. Uchida¹⁵², F. Ukegawa¹⁵⁶, P.A. Ulloa Poblete^{136c}, G. Unal³⁶, M. Unal¹¹, A. Undrus²⁹, G. Unel¹⁵⁹, K. Uno¹⁵², J. Urban^{28b}, P. Urquijo¹⁰⁴, G. Usai⁸, R. Ushioda¹⁵³, M. Usman¹⁰⁷, Z. Uysal^{21b}, V. Vacek¹³¹, B. Vachon¹⁰³, K.O.H. Vadla¹²⁴, T. Vafeiadis³⁶, C. Valderanis¹⁰⁸, E. Valdes Santurio^{47a,47b}, M. Valente^{155a}, S. Valentinetti^{23b,23a}, A. Valero¹⁶², A. Vallier¹⁰¹, J.A. Valls Ferrer¹⁶², T.R. Van Daalen¹³⁷, P. Van Gemmeren⁶, S. Van Stroud⁹⁵, I. Van Vulpen¹¹³, M. Vanadia^{75a,75b}, W. Vandelli³⁶, M. Vandenbroucke¹³⁴, E.R. Vandewall¹²⁰, D. Vannicola¹⁵⁰, L. Vannoli^{57b,57a}, R. Vari^{74a}, E.W. Varnes⁷, C. Varni^{17a}, T. Varol¹⁴⁷, D. Varouchas⁶⁶, L. Varriale¹⁶², K.E. Varvell¹⁴⁶, M.E. Vasile^{27b}, L. Vaslin⁴⁰, G.A. Vasquez¹⁶⁴, F. Vazeille⁴⁰, D. Vazquez Furelos¹³, T. Vazquez Schroeder³⁶, J. Veatch³¹, V. Vecchio¹⁰⁰, M.J. Veen¹¹³, I. Veliscek¹²⁵, L.M. Veloce¹⁵⁴, F. Veloso^{129a,129c}, S. Veneziano^{74a}, A. Ventura^{69a,69b}, A. Verbytskyi¹⁰⁹, M. Verducci^{73a,73b}, C. Vergis²⁴, M. Verissimo De Araujo^{81b}, W. Verkerke¹¹³, J.C. Vermeulen¹¹³, C. Vernieri¹⁴², P.J. Verschuur⁹⁴, M. Vessella¹⁰², M.L. Vesterbacka¹¹⁶, M.C. Vetterli^{141,ad}, A. Vgenopoulos¹⁵¹, N. Viaux Maira^{136f}, T. Vickey¹³⁸, O.E. Vickey Boeriu¹³⁸, G.H.A. Viehhauser¹²⁵, L. Vigani^{63b}, M. Villa^{23b,23a}, M. Villaplana Perez¹⁶², E.M. Villhauer⁵², E. Vilucchi⁵³, M.G. Vincker³⁴, G.S. Virdee²⁰, A. Vishwakarma⁵², C. Vittori^{23b,23a}, I. Vivarelli¹⁴⁵, V. Vladimirov¹⁶⁶, E. Voevodina¹⁰⁹, F. Vogel¹⁰⁸, P. Vokac¹³¹, J. Von Ahnen⁴⁸, E. Von Toerne²⁴, B. Vormwald³⁶, V. Vorobel¹³², K. Vorobev³⁷, M. Vos¹⁶², J.H. Vossebeld⁹¹, M. Vozak¹¹³, L. Vozdecky⁹³, N. Vranjes¹⁵, M. Vranjes Milosavljevic¹⁵, M. Vreeswijk¹¹³, R. Vuillermet³⁶, O. Vujanovic⁹⁹, I. Vukotic³⁹, S. Wada¹⁵⁶, C. Wagner¹⁰², W. Wagner¹⁷⁰, S. Wahdan¹⁷⁰, H. Wahlberg⁸⁹, R. Wakasa¹⁵⁶, M. Wakida¹¹⁰, V.M. Walbrecht¹⁰⁹, J. Walder¹³³, R. Walker¹⁰⁸, W. Walkowiak¹⁴⁰, A.M. Wang⁶¹, A.Z. Wang¹⁶⁹, C. Wang^{62a}, C. Wang^{62c}, H. Wang^{17a}, J. Wang^{64a}, P. Wang⁴⁴, R.-J. Wang⁹⁹, R. Wang⁶¹, R. Wang⁶, S.M. Wang¹⁴⁷, S. Wang^{62b}, T. Wang^{62a}, W.T. Wang⁷⁹, W.X. Wang^{62a}, X. Wang^{14c}, X. Wang¹⁶¹, X. Wang^{62c}, Y. Wang^{62d}, Y. Wang^{14c}, Z. Wang¹⁰⁵, Z. Wang^{62d,51,62c}, Z. Wang¹⁰⁵, A. Warburton¹⁰³, R.J. Ward²⁰, N. Warrack⁵⁹, A.T. Watson²⁰, M.F. Watson²⁰, G. Watts¹³⁷, B.M. Waugh⁹⁵, A.F. Webb¹¹, C. Weber²⁹, M.S. Weber¹⁹, S.A. Weber³⁴, S.M. Weber^{63a}, C. Wei^{62a}, Y. Wei¹²⁵, A.R. Weidberg¹²⁵, J. Weingarten⁴⁹, M. Weirich⁹⁹, C. Weiser⁵⁴, C.J. Wells⁴⁸, T. Wenaus²⁹, B. Wendland⁴⁹, T. Wengler³⁶, N.S. Wenke¹⁰⁹, N. Wermes²⁴, M. Wessels^{63a}, K. Whalen¹²², A.M. Wharton⁹⁰, A.S. White⁶¹, A. White⁸, M.J. White¹, D. Whiteson¹⁵⁹, L. Wickremasinghe¹²³, W. Wiedenmann¹⁶⁹, C. Wiel⁵⁰, M. Wielers¹³³, N. Wieseotte⁹⁹, C. Wiglesworth⁴², L.A.M. Wiik-Fuchs⁵⁴, D.J. Wilbern¹¹⁹, H.G. Wilkens³⁶, D.M. Williams⁴¹, H.H. Williams¹²⁷, S. Williams³², S. Willocq¹⁰², P.J. Windischhofer¹²⁵, F. Winklmeier¹²², B.T. Winter⁵⁴, M. Wittgen¹⁴², M. Wobisch⁹⁶, A. Wolf⁹⁹, R. Wölker¹²⁵, J. Wollrath¹⁵⁹, M.W. Wolter⁸⁵, H. Wolters^{129a,129c}, V.W.S. Wong¹⁶³, A.F. Wongel⁴⁸, S.D. Worm⁴⁸, B.K. Wosiek⁸⁵, K.W. Woźniak⁸⁵, K. Wraight⁵⁹, J. Wu^{14a,14d}, M. Wu^{64a}, S.L. Wu¹⁶⁹, X. Wu⁵⁶, Y. Wu^{62a}, Z. Wu^{134,62a}, J. Wuerzinger¹²⁵, T.R. Wyatt¹⁰⁰, B.M. Wynne⁵², S. Xella⁴², L. Xia^{14c}, M. Xia^{14b}, J. Xiang^{64c}, X. Xiao¹⁰⁵, M. Xie^{62a}, X. Xie^{62a}, I. Xiotidis¹⁴⁵, D. Xu^{14a}, H. Xu^{62a}, H. Xu^{62a}, L. Xu^{62a}, R. Xu¹²⁷, T. Xu^{62a}, W. Xu¹⁰⁵, Y. Xu^{14b}, Z. Xu^{62b}, Z. Xu¹⁴², B. Yabsley¹⁴⁶, S. Yacoob^{33a}, N. Yamaguchi⁸⁸, Y. Yamaguchi¹⁵³, H. Yamauchi¹⁵⁶, T. Yamazaki^{17a}, Y. Yamazaki⁸³, J. Yan^{62c}, S. Yan¹²⁵, Z. Yan²⁵, H.J. Yang^{62c,62d}, H.T. Yang^{17a}, S. Yang^{62a}, T. Yang^{64c}, X. Yang^{62a}, X. Yang^{14a}, Y. Yang⁴⁴, Z. Yang^{62a,105}, W.-M. Yao^{17a}, Y.C. Yap⁴⁸, H. Ye^{14c}, J. Ye⁴⁴, S. Ye²⁹, X. Ye^{62a}, I. Yeletsikh³⁸, M.R. Yexley⁹⁰, P. Yin⁴¹, K. Yorita¹⁶⁷, C.J.S. Young⁵⁴, C. Young¹⁴², M. Yuan¹⁰⁵, R. Yuan^{62b,j}, X. Yue^{63a}, M. Zaazoua^{35e}, B. Zabinski⁸⁵, E. Zaid⁵², T. Zakareishvili^{148b}, N. Zakharchuk³⁴, S. Zambito⁵⁶, J. Zang¹⁵², D. Zanzi⁵⁴, O. Zaplatilek¹³¹, S.V. Zeiřner⁴⁹, C. Zeitnitz¹⁷⁰, J.C. Zeng¹⁶¹, D.T. Zenger Jr²⁶, O. Zenin³⁷, T. Ženiř^{28a}, S. Zenz⁹³, S. Zerradi^{35a}, D. Zerwas⁶⁶, B. Zhang^{14c}, D.F. Zhang¹³⁸, G. Zhang^{14b}, J. Zhang⁶, K. Zhang^{14a,14d}, L. Zhang^{14c}, R. Zhang¹⁶⁹, S. Zhang¹⁰⁵, T. Zhang¹⁵², X. Zhang^{62c}, X. Zhang^{62b}, Z. Zhang⁶⁶, H. Zhao¹³⁷, P. Zhao⁵¹, T. Zhao^{62b}, Y. Zhao¹³⁵, Z. Zhao^{62a}, A. Zhemchugov³⁸, Z. Zheng¹⁴², D. Zhong¹⁶¹, B. Zhou¹⁰⁵, C. Zhou¹⁶⁹, H. Zhou⁷, N. Zhou^{62c}, Y. Zhou⁷, C.G. Zhu^{62b}, C. Zhu^{14a,14d}, H.L. Zhu^{62a}, H. Zhu^{14a}, J. Zhu¹⁰⁵, Y. Zhu^{62a}, X. Zhuang^{14a}, K. Zhukov³⁷, V. Zhulanov³⁷, N.I. Zimine³⁸, J. Zinsser^{63b},

M. Ziolkowski¹⁴⁰, L. Živković¹⁵, A. Zoccoli^{23b,23a}, K. Zoch⁵⁶, T.G. Zorbas¹³⁸, O. Zormpa⁴⁶, W. Zou⁴¹,
L. Zwalinski³⁶

- ¹ Department of Physics, University of Adelaide, Adelaide; Australia
² Department of Physics, University of Alberta, Edmonton AB; Canada
³ (a) Department of Physics, Ankara University, Ankara; (b) Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye
⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France
⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris; France
⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America
⁷ Department of Physics, University of Arizona, Tucson AZ; United States of America
⁸ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America
⁹ Physics Department, National and Kapodistrian University of Athens, Athens; Greece
¹⁰ Physics Department, National Technical University of Athens, Zografou; Greece
¹¹ Department of Physics, University of Texas at Austin, Austin TX; United States of America
¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan
¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain
¹⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Physics Department, Tsinghua University, Beijing; (c) Department of Physics, Nanjing University, Nanjing;
^(d) University of Chinese Academy of Science (UCAS), Beijing; China
¹⁵ Institute of Physics, University of Belgrade, Belgrade; Serbia
¹⁶ Department for Physics and Technology, University of Bergen, Bergen; Norway
¹⁷ (a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (b) University of California, Berkeley CA; United States of America
¹⁸ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany
¹⁹ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland
²⁰ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom
²¹ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (c) Department of Physics, Istanbul University, Istanbul;
^(d) Istinye University, Sariyer, Istanbul; Türkiye
²² (a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia
²³ (a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (b) INFN Sezione di Bologna; Italy
²⁴ Physikalisches Institut, Universität Bonn, Bonn; Germany
²⁵ Department of Physics, Boston University, Boston MA; United States of America
²⁶ Department of Physics, Brandeis University, Waltham MA; United States of America
²⁷ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza
 University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (e) University Politehnica Bucharest,
 Bucharest; (f) West University in Timisoara, Timisoara; Romania
²⁸ (a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of
 Sciences, Kosice; Slovak Republic
²⁹ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
³⁰ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina
³¹ California State University, CA; United States of America
³² Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
³³ (a) Department of Physics, University of Cape Town, Cape Town; (b) iThema Labs, Western Cape; (c) Department of Mechanical Engineering Science, University of Johannesburg,
 Johannesburg; (d) National Institute of Physics, University of the Philippines Diliman (Philippines); (e) University of South Africa, Department of Physics, Pretoria; (f) University of Zululand,
 KwaDlangezwa; (g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
³⁴ Department of Physics, Carleton University, Ottawa ON; Canada
³⁵ (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra;
^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; (d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (e) Faculté des sciences, Université
 Mohammed V, Rabat; (f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco
³⁶ CERN, Geneva; Switzerland
³⁷ Affiliated with an institute covered by a cooperation agreement with CERN
³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN
³⁹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
⁴⁰ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
⁴¹ Nevis Laboratory, Columbia University, Irvington NY; United States of America
⁴² Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
⁴³ (a) Dipartimento di Fisica, Università della Calabria, Rende; (b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
⁴⁴ Physics Department, Southern Methodist University, Dallas TX; United States of America
⁴⁵ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
⁴⁶ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
⁴⁷ (a) Department of Physics, Stockholm University; (b) Oskar Klein Centre, Stockholm; Sweden
⁴⁸ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
⁴⁹ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
⁵⁰ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
⁵¹ Department of Physics, Duke University, Durham NC; United States of America
⁵² SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
⁵³ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
⁵⁴ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
⁵⁵ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
⁵⁶ Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
⁵⁷ (a) Dipartimento di Fisica, Università di Genova, Genova; (b) INFN Sezione di Genova; Italy
⁵⁸ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
⁵⁹ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
⁶⁰ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
⁶¹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
⁶² (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (b) Institute of Frontier and
 Interdisciplinary Research and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (c) School of Physics and Astronomy, Shanghai Jiao Tong
 University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (d) Tsung-Dao Lee Institute, Shanghai; China
⁶³ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
⁶⁴ (a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, University of Hong Kong, Hong Kong; (c) Department of Physics and
 Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China

- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
- 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
- 67 Department of Physics, Indiana University, Bloomington IN; United States of America
- 68 (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
- 69 (a) INFN Sezione di Lecce; (b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
- 70 (a) INFN Sezione di Milano; (b) Dipartimento di Fisica, Università di Milano, Milano; Italy
- 71 (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
- 72 (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
- 73 (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
- 74 (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
- 75 (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
- 76 (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
- 77 (a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy
- 78 Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria
- 79 University of Iowa, Iowa City IA; United States of America
- 80 Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
- 81 (a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (c) Instituto de Física, Universidade de São Paulo, São Paulo; (d) Rio de Janeiro State University, Rio de Janeiro; Brazil
- 82 KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
- 83 Graduate School of Science, Kobe University, Kobe; Japan
- 84 (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
- 85 Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
- 86 Faculty of Science, Kyoto University, Kyoto; Japan
- 87 Kyoto University of Education, Kyoto; Japan
- 88 Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
- 89 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
- 90 Physics Department, Lancaster University, Lancaster; United Kingdom
- 91 Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
- 92 Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia
- 93 School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
- 94 Department of Physics, Royal Holloway University of London, Egham; United Kingdom
- 95 Department of Physics and Astronomy, University College London, London; United Kingdom
- 96 Louisiana Tech University, Ruston LA; United States of America
- 97 Fysiska institutionen, Lunds universitet, Lund; Sweden
- 98 Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
- 99 Institut für Physik, Universität Mainz, Mainz; Germany
- 100 School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
- 101 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
- 102 Department of Physics, University of Massachusetts, Amherst MA; United States of America
- 103 Department of Physics, McGill University, Montreal QC; Canada
- 104 School of Physics, University of Melbourne, Victoria; Australia
- 105 Department of Physics, University of Michigan, Ann Arbor MI; United States of America
- 106 Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
- 107 Group of Particle Physics, University of Montreal, Montreal QC; Canada
- 108 Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
- 109 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
- 110 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
- 111 Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
- 112 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
- 113 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
- 114 Department of Physics, Northern Illinois University, DeKalb IL; United States of America
- 115 (a) New York University Abu Dhabi, Abu Dhabi; (b) University of Sharjah, Sharjah; United Arab Emirates
- 116 Department of Physics, New York University, New York NY; United States of America
- 117 Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
- 118 Ohio State University, Columbus OH; United States of America
- 119 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
- 120 Department of Physics, Oklahoma State University, Stillwater OK; United States of America
- 121 Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
- 122 Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
- 123 Graduate School of Science, Osaka University, Osaka; Japan
- 124 Department of Physics, University of Oslo, Oslo; Norway
- 125 Department of Physics, Oxford University, Oxford; United Kingdom
- 126 LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France
- 127 Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
- 128 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
- 129 (a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
- 130 Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
- 131 Czech Technical University in Prague, Prague; Czech Republic
- 132 Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
- 133 Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
- 134 IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
- 135 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
- 136 (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
- 137 Department of Physics, University of Washington, Seattle WA; United States of America
- 138 Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom

- ¹³⁹ Department of Physics, Shinshu University, Nagano; Japan
¹⁴⁰ Department Physik, Universität Siegen, Siegen; Germany
¹⁴¹ Department of Physics, Simon Fraser University, Burnaby BC; Canada
¹⁴² SLAC National Accelerator Laboratory, Stanford CA; United States of America
¹⁴³ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
¹⁴⁴ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
¹⁴⁵ Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
¹⁴⁶ School of Physics, University of Sydney, Sydney; Australia
¹⁴⁷ Institute of Physics, Academia Sinica, Taipei; Taiwan
¹⁴⁸ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c) University of Georgia, Tbilisi; Georgia
¹⁴⁹ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
¹⁵⁰ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
¹⁵¹ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
¹⁵² International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
¹⁵³ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
¹⁵⁴ Department of Physics, University of Toronto, Toronto ON; Canada
¹⁵⁵ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
¹⁵⁶ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
¹⁵⁷ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America
¹⁵⁸ United Arab Emirates University, Al Ain; United Arab Emirates
¹⁵⁹ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
¹⁶⁰ Department of Physics and Astronomy, Uppsala University, Uppsala; Sweden
¹⁶¹ Department of Physics, University of Illinois, Urbana IL; United States of America
¹⁶² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia; Spain
¹⁶³ Department of Physics, University of British Columbia, Vancouver BC; Canada
¹⁶⁴ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
¹⁶⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
¹⁶⁶ Department of Physics, University of Warwick, Coventry; United Kingdom
¹⁶⁷ Waseda University, Tokyo; Japan
¹⁶⁸ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
¹⁶⁹ Department of Physics, University of Wisconsin, Madison WI; United States of America
¹⁷⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
¹⁷¹ Department of Physics, Yale University, New Haven CT; United States of America

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^c Also at Bruno Kessler Foundation, Trento; Italy.

^d Also at Center for High Energy Physics, Peking University; China.

^e Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^f Also at CERN, Geneva; Switzerland.

^g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^l Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

^m Also at Department of Physics, California State University, East Bay; United States of America.

ⁿ Also at Department of Physics, California State University, Sacramento; United States of America.

^o Also at Department of Physics, King's College London, London; United Kingdom.

^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^q Also at Department of Physics, University of Thessaly; Greece.

^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America.

^s Also at Hellenic Open University, Patras; Greece.

^t Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.

^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.

^v Also at Institute of Particle Physics (IPP); Canada.

^w Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

^x Also at Institute of Theoretical Physics, Ilija State University, Tbilisi; Georgia.

^y Also at Lawrence Livermore National Laboratory, Livermore; United States of America.

^z Also at Physics Department, An-Najah National University, Nablus; Palestine.

^{aa} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

^{ab} Also at The City College of New York, New York NY; United States of America.

^{ac} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.

^{ad} Also at TRIUMF, Vancouver BC; Canada.

^{ae} Also at Università di Napoli Parthenope, Napoli; Italy.

^{af} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.

^{ag} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.

^{ah} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.

^{ai} Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen; Germany.

* Deceased.